

PREGLED POSTUPKA #65859

1 PODACI O NARUČIOCU

Naziv naručioca	UPRAVA ZA INSPEKCIJSKE POSLOVE
PIB	02869993
E-mail	upravazainspekcijskeposlove@uip.gov.me
Telefon	020/234-421
Internet adresa	www.uip.gov.me
Fax	--
Adresa	Oktobarske revolucije 130
Grad	Podgorica
Poštanski broj	81000

2 OSNOVNI PODACI

Opis predmeta javne nabavke	Računarska oprema
Status	Čeka na objavu
Vrsta predmeta	Robe
Vrsta postupka	Jednostavna nabavka
Službenik za javne nabavke	Maša Leković
Kontakt	020-234-421
Datum objave	13.12.2023. 11:00
Napomena	

3 FAZE U POSTUPKU

Nema faza u izabranom postupku

4 DODATNE INFORMACIJE

Predmet javne nabavke se nabavlja	kao cjelina
Posebni oblici javne nabavke	
Okvirni sporazum	Ne
Dinamički sistem nabavki	Ne
Elektronska aukcija	Ne
Elektronski katalog	Ne
Nabavka se sprovodi kao	
Zajednička nabavka	Ne
Centralizovana nabavka	Ne

5 STAVKE PLANA

Godina	Opis	Vrijednost nabavke	Vrijednost PDV	Okvirni sporazum	Vrijednost OS	Vrijednost PDV OS	Vrsta postupka
2023	UPRAVA ZA INSPEKCIJSKE POSLOVE Računarska oprema 30236000 - Razna kompjuterska oprema	24.990,00 EUR	5.247,90 EUR	-	-	-	Jednostavna nabavka

6 USLOVI ZA UČEŠĆE U POSTUPKU I ZAHTJEVI U POGLEDU NAČINA IZVRŠAVANJA PREDMETA NABAVKE

Opis	Tip uslova / zahtjeva
U postupku javne nabavke može da učestvuje samo privredni subjekat koji: 1) nije pravosnažno osuđivan i čiji izvršni direktor nije pravosnažno osuđivan za neko od krivičnih djela sa obilježjima: a) kriminalnog udruživanja; b) stvaranja kriminalne organizacije; c) davanje mita; č) primanje mita; ć) davanje mita u privrednom poslovanju; d) primanje mita u privrednom poslovanju; dž) utaja poreza i doprinosa; đ) prevare; e) terorizma; f) finansiranja terorizma; g) terorističkog udruživanja; h) učestovanja u stranim oružanim formacijama; i) pranja novca; j) trgovine ljudima; k) trgovine maloljetnim licima radi usvojenja; l) zasnivanja ropskog odnosa i prevoza lica u ropskom odnosu; 2) je izmirio sve dospjele obaveze po osnovu poreza i doprinosa za penzijsko i zdravstveno osiguranje. Ponuđač može podnijeti i uvjerenja ili potvrde: 1) nadležnog organa izdatog na osnovu kaznene evidencije, u skladu sa propisima države u kojoj privredni subjekat ima sjedište, odnosno u kojoj izvršni direktor tog privrednog subjekta ima prebivalište, 2) organa uprave nadležnog za poslove naplate poreza, odnosno nadležnog organa države u kojoj privredni subjekat ima sjedište. Ponuđač čija je ponuda izabrana kao ekonomski najpovoljnija ponuda, treba da dostavi dokaze kojima se dokazuju uslovi za učestvovanje u postupku, a koji su utvrđeni zahjevom, ako iste nije dostavio u ponudi.	Obavezni uslovi
Privredni subjekat mora da ispunjava uslove sposobnosti, za obavljanje djelatnosti, da je upisan u Centralni registar privrednih subjekata ili drugi odgovarajući registar u državi u kojoj privredni subjekat ima sjedište. Ispunjenost uslova za obavljanje djelatnosti dokazuje se dostavljanjem: dokaza o registraciji u Centralnom registru privrednih subjekata ili drugom odgovarajućem registru, sa podacima o ovlašćenom licu privrednog subjekta;	Uslovi za obavljanje djelatnosti
Rok važenja ponude je 30 dana od otvaranja ponda	Rok važenja ponude
Ugovor se zaključuje na period od godinu dana ili do utroška predviđenih sredstava.	Rok izvršenja ugovora

Mjesto izvršenja ugovora: ulica Vojislavljevića bb, Podgorica.	Mjesto izvršenja ugovora
Rok plaćanja: 30 dana od dana ispostavljanja fakture.	Rok plaćanja
Način plaćanja: virmanski.	Način plaćanja
Ispunjenost obaveznih uslova dokazuje se podnošenjem Izjave ponuđača da ispunjava uslove za učešće u postupku jednostavne nabavke na Obrascu 2 saglasno Pravilniku o sprovođenju jednostavnih nabavki.	ESPD
Potvrda proizvođača ili distributera (zastupnika) proizvođača ili kancelarije proizvođača čiju opremu nudi o trajanju garantnog roka konkretno ponuđene opreme.	Drugi uslovi
Garantni rok: minimum 24 mjeseca. Garantni rok počinje teći od dana isporučene robe.	Garantni rok

7 KRITERIJUMI ZA IZBOR NAJPOVOLJNIJE PONUDE

Opis
Cijena

8 PREDMET NABAVKE

Procijenjena vrijednost nabavke: 24.990,00 EUR

TEHNIČKA SPECIFIKACIJA PREDMETA NABAVKE

	Opis predmeta nabavke	Bitne karakteristike predmeta nabavke	Količina
		Diagonal screen size 217.4 cm Diagonal screen size 85.6 inch Panel resolution 3840 x 2160 Optimum resolution 3840x 2160 @ 60Hz Brightness 420 cd/m² Dynamic contrast ratio 500,000:1 Response time (typical) 8 ms Aspect ratio 16:9 Viewing angle (horizontal) 178 degree Viewing angle (vertical) 178 degree Pixel pitch 0.4935x0.4935 mm Display colors 1.07 billion Picture enhancement 3/2 - 2/2 motion pull down 3D Combfilter Motion compens. deinterlacing Progressive scan,3D MA deinterlacing, Dynamic contrast enhancement, Surface treatment, Anti-Glare coating Panel technology, IPS Contrast ratio (typical) 1200:1 Operating system Android 9 Connectivity Video input Display Port1.2 (x1), DVI-I (x 1), HDMI 2.0 (x4), USB 2.0 (x2), USB 3.0 (x2), USB-C, Audio input	

1	Interaktivni displej	3.5mm Jack (x1), Video output DisplayPort 1.2 (x1), DVI - D (x1), HDMI 2.0 (x2), USB 2.0 (x2), Audio output 3.5mm Jack (x2) External control IR (in/out) 3.5 mm jack, RJ45 RS232C (in/out) 2.5 mm jack, Other connections OPS ,micro SD Signal loop through DisplayPort, RS232, IR Loopthrough Network controllable RS232, RJ45 Built-in speakers 2 x 20W RMS Included Accessories Cleaning cloth (x1),DVI-D cable (1.8m),RS232 daisy-chain cable, Touch Pen (x2) Touch USB (x1), USB Cover (x1), AC power cord, HDMI cable,IR sensor cable (1.8 m) (x1), Remote control (x1),RS232 cable USB Playback Video ASF,AVI,DAT,FLV,MKV,MP4,MPEG MPG,TS,VOB,WEBM,WMV USB Playback Picture BMP,JPEG,JPG,PNG,USB Playback Audio AAC,M4A,MP3,WMA Multi-touch technology 0-gap Infrared touch Touch points 20 simultaneous touch points Plug and play HID compliant Protection glass Anti-Glare Tempered safety glass CPU minimum MTK5680 GPU minimum DDR4 4GB Memory minimum 4GB RAM Storage minimum 32 GB eMMc Smart Insert mount 100mm x 100mm, 6xM4L6 Android, UHD, HEIR 20 points, wireless screen sharing, smart I/O, even bezels, safety glass, 2x passive pens, OPS, SDM-L,	2,00 komad
---	----------------------	---	------------

		whiteboard included, WiFi, Smart Insert, high quality speakers	
2	Projektor	Projection System 3LCD Technology, RGB liquid crystal shutter LCD Panel 0,61 inch with C2 Fine Svjetloća boja 3.000 Lumen In accordance with IDMS15.4 Rezolucija 4K PRO-UHD Kontrastni odnos 40.000 : 1 Light source Lamp Svjetiljka UHE, 250 W, 3.500 h Vijek trajanja, 5.000 h Vijek trajanja (u modusu štednje) Odnos projekcije 1,32 - 2,15:1 Zoom Manual, Factor: 1 - 1,62 Objektiv Optika Pomijeranje sočiva Ručno - Vertical $\pm 60\%$, horizontal $\pm 24\%$ Veličina projekcije 40 inches - 500 inches Projection Distance Wide/Tele 2,95 m - 4,77 m (100 inch screen Priključci USB 2.0-A (2x), USB 2.0 Mini-B, HDMI in (2x), Priključak za isključivanje, Bluetooth iProjection App Ad-Hoc / Infrastructure Funkcije 3D depth adjustment, 4K enhancement, Interpolacija okvira, Horizontal and vertical keystone correction, Quick Corner, Wireless LAN capable	3,00 komad

3	MFP (multifunkcijski štampač/skener/kopir/faks) u boji	Color MFP. Funkcionalnost: Štampač, kopir, skener, faks. Brzina štampe (ISO) mono 27str/min (duplex 24 ipm ili vise), u boji 27str/min (duplex 24 ipm ili vise). Skeniranje Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/35 ipm (color). Displej minimum 4.3" touchscreen. Digitalno slanje - standardno: Scan to email, scan to network folder, Scan to USB Skeniranje format datoteke PDF; JPG; TIFF. Povezivanje minimum: 1 x USB 2.0; 1 x host USB sa zadnje strane; Gigabit Ethernet; 802.3az(EEE), 802.11b/g/n, 2.4 / 5 GHZ Wi-Fi radio. Procesor minimum 1200 MHz. Memorija minimum 512 MB NAND flash, 512 MB DRAM. Mjesecni obim stampe: 50.000 strana. Ulazni kapacitet: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF). Izlazni kapacitet: minimum 150 listova.	1,00 komad
---	--	---	------------

4	Multifunkcijski štampač/skener/kopir/faks	Tip uređaja: Multifunkcijski uređaj Tehnologija štampe: laser Funkcije: štampanje, kopiranje, skeniranje, faks Brzina štampe A4: 38 ppm (do 40 ppm u režimu velike brzine) Prva strana spremna: A4 za 6.5 sekundi Dupleks štampa: automatska Mjesečni ciklus A4: 100,000 strana Kvalitet štampe: 1200 x 1200 dpi Jezici štampe: PCL 6, PCL 5e, PostScript level 3 emulation, PDF Povezivanje: Hi-Speed USB 2.0 host, Hi-Speed USB 2.0 device, Gigabit Ethernet, moguće dodavanje Wi-Fi modula za bežično povezivanje Procesor: 800 MHz Memorija: 2 GB Storage: 16 GB eMMC Ulaz papira: ulaz 1: 100 lista, ulaz 2: 250 lista, moguće dodavanje trećeg ulaza papira za 550 lista, automatski ulagač papira (ADF) od 50 lista Izlaz papira: 150 lista Skener: Flatbed i ADF (duplex skeniranje iz ADF), tehnologija skeniranja CIS Brzina skeniranja: crno-bijelo: 29 ppm/46 ipm (jednostrano/duplex), kolor: 20 ppm/35 ipm (jednostrano/duplex) Brzina kopiranja: 38 cpm Rezolucija kopiranja: 600 x 600 dpi Faks: 33.6 kbps (maximum); 14.4 kbps (default) / 3 sec per page Mogućnost korišćenja tonera kapaciteta minimum 10000 kopija.	38,00 komad
---	---	--	-------------

5	Dodatak za multifunkcijski štampač/skener/kopir/faks	Dodatak za multifunkcijski štampač/skener/kopir faks iz stavke iznad, istog proizvođača kao i štampač; 802.11b/g/n with Dual Band wireless Ethernet (2.4 GHz and 5 GHz); Wi-Fi Direct; BLE; NFC (near-field communication) U pakovanju Wireless Accessory, 2 mini USB cables, stand-alone plastic cover	8,00 komad
6	UPS za rack	Rackmount UPS Topologija Online Double Conversion Online ECO Mode Efficiency > 95% Input Voltage Range (Vac) 190 ~ 300 Kapacitet (VA) 3000 Kapacitet (Watts) 2700 On Battery Waveform Pure Sine Wave Zaštita od preopterećenja Interno ograničenje struje, prekidač, osigurač Overload Protection (Bypass Mode) >130% Load Immediately Outlet(s) – Total 9 Outlet Type IEC C19 x 1 , IEC C13 x 8 Outlet(s) - Battery & Surge Protected 9 Runtime at Half Load (min) 14 Start On Battery Da Smart Battery Management (SBM) Da User-replaceable Da Hot-swappable Da Battery Type Sealed Lead-acid Battery Quantity (Each RBP) (pcs) 6 Battery Voltage (Each RBP) (V) 72 Surge Suppression (Joules) 440 EMI/RFI Filtration Yes	2,00 komad

	Phone/Network Protection RJ11/RJ45 (Combo) 1-in, 1-out LCD Panel Da LCD Information Display Operation Type, Power Status, Battery Status, Load Status, Fault & Warning, Other Information, Event & Log HID Compliant USB Port(s) 1 Emergency Power Off (EPO) Port Da Power Management Software - PowerPanel Business SNMP/HTTP Remote Monitoring – Da Isporučiti karticu istog proizvođača kao i UPS	
--	---	--