

PREGLED POSTUPKA #70968

1 PODACI O NARUČIOCU

Naziv naručioca	OPŠTINA BUDVA
PIB	02005409
E-mail	jasna.dokic@budva.me
Telefon	033/451-211
Internet adresa	www.budva.me
Fax	033/451-211
Adresa	Trg Sunca 3
Grad	Budva
Poštanski broj	85310

2 OSNOVNI PODACI

Opis predmeta javne nabavke	Nabavka elektro opreme
Status	U toku
Vrsta predmeta	Robe
Vrsta postupka	Jednostavna nabavka
Službenik za javne nabavke	Tanja Simićević
Kontakt	033/454-017; 067/240-209
Datum objave	05.04.2024. 10:00

Napomena

U skladu sa članom 5 stav 2 Zakona o javnim nabavkama naručilac je finasijski dio ponude, odnosno tehničku specifikaciju predmeta nabavke sačinio na jeziku koji se koristi u međunarodnoj trgovini (engleskom jeziku).

3 FAZE U POSTUPKU

Vrsta faze	Opis	Početak podnošenja	Kraj podnošenja	Datum otvaranja	Status
Zahtjev za podnošenje ponuda	Nabavka elektro opreme	05.04.2024 10:00	16.04.2024 10:00	16.04.2024 10:00	U toku

4 DODATNE INFORMACIJE

Predmet javne nabavke se nabavlja	kao cjelina
Posebni oblici javne nabavke	
Okvirni sporazum	Ne
Dinamički sistem nabavki	Ne
Elektronska aukcija	Ne
Elektronski katalog	Ne
Nabavka se sprovodi kao	
Zajednička nabavka	Ne
Centralizovana nabavka	Ne

5 STAVKE PLANA

Godina	Opis	Vrijednost nabavke	Vrijednost PDV	Okvirni sporazum	Vrijednost OS	Vrijednost PDV OS	Vrsta postupka
2024	OPŠTINA BUDVA Nabavka elektro opreme 31710000 - Elektronička oprema 31711500 - Dijelovi elektronskih sklopova 48921000 - Sistem za automatizaciju	20.000,00 EUR	4.200,00 EUR	-	-	-	Jednostavna nabavka

6 USLOVI ZA UČEŠĆE U POSTUPKU I ZAHTJEVI U POGLEDU NAČINA IZVRŠAVANJA PREDMETA NABAVKE

Opis	Tip uslova / zahtjeva
U postupku javne nabavke može da učestvuje samo privredni subjekat koji nije pravosnažno osuđivan i čiji izvršni direktor nije pravosnažno osuđivan za neko od krivičnih djela sa obilježjima: a) kriminalnog udruživanja; b) stvaranja kriminalne organizacije; c) davanje mita; č) primanje mita; ć) davanje mita u privrednom poslovanju; d) primanje mita u privrednom poslovanju; dž) utaja poreza i doprinosa; đ) prevare; e) terorizma; f) finansiranja terorizma; g) terorističkog udruživanja; h) učestovanja u stranim oružanim formacijama; i) pranja novca; j) trgovine ljudima; k) trgovine maloljetnim licima radi usvojenja; l) zasnivanja ropskog odnosa i prevoza lica u ropskom odnosu, koji se dokazuje na osnovu uvjerenja ili potvrde nadležnog organa izdatog na osnovu kaznene evidencije, u skladu sa propisima države u kojoj privredni subjekat ima sjedište, odnosno u kojoj izvršni direktor tog privrednog subjekta ima prebivalište.	Obavezni uslovi
U postupku javne nabavke može da učestvuje samo privredni subjekat koji je izmirio sve dospjele obaveze po osnovu poreza i doprinosa za penzijsko i zdravstveno osiguranje, što se dokazuje na osnovu uvjerenja ili potvrde organa uprave nadležnog za poslove naplate poreza, odnosno nadležnog organa države u kojoj privredni subjekat ima sjedište.	Obavezni uslovi
Privredni subjekat treba da je upisan u Centralni registar privrednih subjekata ili drugi odgovarajući registar u državi u kojoj privredni subjekat ima sjedište, što se dokazuje dostavljanjem dokaza o registraciji u Centralnom registru privrednih subjekata ili drugom odgovarajućem registru, sa podacima o ovlašćenom licu privrednog subjekta	Uslovi za obavljanje djelatnosti
Rok plaćanja je 30 dana od dana ispostavljanja fakture.	Rok plaćanja
Način plaćanja je virmanski.	Način plaćanja
Rok izvršenja ugovora je maksimalno 180 dana od dana zaključivanja ugovora.	Rok izvršenja ugovora
Mjesto izvršenja ugovora: Otpadne vode doo Budva, Omladinskih brigada bb, Bečići, 85310, Budva.	Mjesto izvršenja ugovora

Rok važenja ponude je 60 dana od dana otvaranja ponude.	Rok važenja ponude
Garantni rok: minimum 1 godina proizvođačke garancije. Ponuđač je u svojoj ponudi obavezan dostaviti u slobodnoj formi Izjavu ponuđača, datu pod punom materijalnom i krivičnom odgovornošću kojom potvrđuje garantni rok za ponuđenu opremu. Minimalni garantni rok je naveden u tehničkoj specifikaciji za svaku stavku posebno. Garantni rok se počinje računati od momenta isporuke roba odnosno od momenta zapisnički konstatovanog kvantitativno-kvalitativnog prijema predmetnih roba.	Garantni rok
Izjava ponuđača o ispunjenosti uslova utvrđenih zahtjevom i nepostojanju sukoba interesa, potpisana od strane ovlašćenog lica ponuđača, data na Obrascu 2, definisana Članom 9 stav 10 Pravilnika o načinu sprovođenja jednostavnih nabavki ("Službeni list Crne Gore", br. 016/23, 020/23, 036/23 i 114/23).	ESPD
Ukoliko ponuđač ponudi ekvivalent traženom, u ponudi on mora precizno navesti naziv ekvivalenta, uz podnošenje dokaza o ekvivalentnosti (Izjavu izdatu od strane proizvođača opreme, potvrda proizvođača, sertifikat ili drugi dokument) kojima Ponuđač potvrđuje da ponuđena roba ima iste ili bolje karakteristike u odnosu na traženu.	Drugi uslovi
Ponuđač je dužan da dostavi autorizaciju od proizvođača ponuđene opreme za isporuku ponuđene opreme.	Drugi uslovi
Drugi uslovi: Ponuda se sačinjava na: crnogorskom jeziku i drugom jeziku koji je u službenoj upotrebi u Crnoj Gori, u skladu sa Ustavom i zakonom. Ponuda se sačinjava na engleskom jeziku za dio koji se odnosi na finasijski dio ponude.	Drugi uslovi

7 KRITERIJUMI ZA IZBOR NAJPOVOLJNIJE PONUDE

Opis
Cijena

8 PREDMET NABAVKE

Procijenjena vrijednost nabavke: 20.000,00 EUR

TEHNIČKA SPECIFIKACIJA PREDMETA NABAVKE

	Opis predmeta nabavke	Bitne karakteristike predmeta nabavke	Količina
1	SITOP PSU8200 24 V/40 A stabilized power supply	SITOP PSU8200 24 V/40 A stabilized power supply input: 400-500 V 3 AC output: 24 V DC/40 A, manufacturer SIEMENS AG or equivalent	2,00 Pc.
2	SITOP DC UPS module	SITOP DC UPS module 24 V/40 A uninterruptible power supply without interface input: 24 V DC/43 A output: 24 V DC/40 A manufacturer SIEMENS AG or equivalent	3,00 Pc.
3	SIMATIC HMI, KTP700 Basic	SIMATIC HMI, KTP700 Basic, Basic Panel, Key/touch operation, 7" TFT display, 65536 colors, PROFINET interface, configurable from WinCC Basic V13/ STEP 7 Basic V13, contains open-source software, which is provided free of charge see enclosed CD,manufacturer SIEMENS AG or equivalent	1,00 Pc.
4	SITOP DC UPS module	SITOP DC UPS module 24 V/15 A uninterruptible power supply without interface input: 24 V DC/16 A output: 24 V DC/15A, manufacturer SIEMENS AG or equivalent	2,00 Pc.
5	SITOP battery module	SITOP battery module 24 V/12 Ah with maintenance free sealed lead batteries for SITOP DC UPS module 6 A, 15 A and 40 A, manufacturer SIEMENS AG or equivalent	6,00 Pc.

6	SITOP modular 40 A Stabilized power supply	SITOP modular 40 A Stabilized power supply input: 400-500 V 3 AC output: 24 V DC/40 A, manufacturer SIEMENS AG or equivalent	3,00 Pc.
7	motor operator	motor operator 110-230V AC/110-250V DC accessory for: 3VA1 400/630 3VA2 400/630, manufacturer SIEMENS AG or equivalent	1,00 Pc.
8	circuit breaker	circuit breaker 3VA2 IEC frame 400 breaking capacity class M Icu=55kA @ 415V 3-pole, line protection ETU350, LSI, In=400A overload protection Ir=160A...400A short-circuit protection Isd=1.5...10 x Ir, li=10 x In nut keeper kit, manufacturer SIEMENS AG or equivalent	1,00 Pc.
9	SIMATIC DP	SIMATIC DP, DP/DP coupler Coupling module for connecting of two PROFIBUS DP networks redundant current infeed, manufacturer SIEMENS AG or equivalent	1,00 Pc.
10	SIMATIC HMI TP900 Comfort, Comfort Panel	SIMATIC HMI TP900 Comfort, Comfort Panel, touch operation, 9" widescreen TFT display, 16 million colors, PROFINET interface, MPI/PROFIBUS DP interface, 12 MB configuration memory, Windows CE 6.0, configurable from WinCC Comfort V11, manufacturer SIEMENS AG or equivalent	1,00 Pc.
11	expansion module PROFIBUS DP plug-in	expansion module PROFIBUS DP plug-in, for 7KM PAC3200 / 3220 4200 / 3VA COM100 / 800, manufacturer SIEMENS AG or equivalent	2,00 Pc.
12	SENTRON PAC3220 LCD	SENTRON PAC3220 LCD 96X96 mm Power Monitoring Device Controll panel instrument for electrical values protocol: Modbus TCP with graphics display U rated input: 690/400V 45 -65Hz IE rated input: X/1A oder X/5A AC Power supply: 100 ... 250 V +-10 % AC/DC screw connections, manufacturer SIEMENS AG or equivalent	3,00 Pc.

13	SITOP modular 20 A Stabilized power supply	SITOP modular 20 A Stabilized power supply input: 400-500 V 3 AC output: 24 V DC/20 A, manufacturer SIEMENS AG or equivalent	2,00 Pc.
14	Ultrasonic level transducer	EchoMax XRS-5 Ultrasonic level transducer: continuous, non-contact, 8 m (26 ft) range, for liquids and slurries. Mounting thread: R 1" ((BSPT), EN 10226) Cable length: 30 m (98.43 ft) Facing: Standard (CSM rubber) Approvals: CSA Class I, Div. 2, Groups A, B, C, D; CSA Class II, Div. 1, Groups E, F, G; FM Class I, Zone 1, AEx m IIC, T6; FM Class II, III, Div. 1, Groups E, F, G T6; ATEX II 2GD Ex mb IIC T6 Gb, Ta = -20°C to +65°C; ATEX II 2GD Ex tb IIIC T85°C Db; UKEX II 2GD Ex mb IIC T6 Gb, Ta = -20°C to +65°C; UKEX II 2GD Ex tb IIIC T85°C Db; IECEx Ex mb IIC T6 Gb, Ta = -20°C to +65°C; IECEx Ex tb IIIC T85°C Db; INMETRO Ex mb IIC T6 Gb, IP66/IP68, -20°C = Ta = +65°C; INMETRO Ex tb IIIC T85°C Db, IP66/IP68; CE, UKCA, RCM, KC . . Flange: Without mounting flange, manufacturer SIEMENS AG or equivalent	2,00 Pc.
15	SITOR fuse link	SITOR fuse link, with slotted blade contacts, NH2, In: 450 A, aR, Un AC: 1000 V, front indicator, manufacturer SIEMENS AG or equivalent	24,00 Pc.
16	Circuit breaker	Circuit breaker 3VA2 IEC frame 630 breaking capacity class M Icu=55kA @ 415V 3-pole, line protection ETU350, LSI, In=400A overload protection Ir=160A...400A short-circuit protection I _{sd} =1.5...10 x I _r , I _{li} =12 x I _n nut keeper kit; manufacturer SIEMENS AG or equivalent	1,00 Pc.

17	Circuit breaker	Circuit breaker 3VA2 IEC frame 630 breaking capacity class M Icu=55kA @ 415V 3-pole, line protection ETU350, LSI, In=630A overload protection Ir=250A...630A short-circuit protection Isd=1.5...9x Ir, li=9x In nut keeper kit; manufacturer SIEMENS AG or equivalent	1,00 Pc.
18	Programmer for level transmitter	Programmer, Intrinsically-safe, EEx ia, SITRANS LR200, type 7ML5830-2AH; manufacturer SIEMENS AG or equivalent	1,00 Pc.