

Tonja
Katnić

Digitally signed
by Tonja Katnić
Date: 2025.10.06
13:13:13 +02'00'

Investitor: Međunarodna organizacija za migracije IOM

Projektant: A TIM STUDIO d.o.o. Podgorica

Odgovorni inženjer: Tonja Ratić



Naziv projekta: Projekat opremanja namještajem Administrativnog objekta MUP-a u Zagorичu



Podgorica, avgust 2025. godine

SADRŽAJ PROJEKTA:

1. Ugovor između projektanta i investitora
2. Izvod iz centralnog registra privrednih subjekata Crne Gore
3. Licenca preduzeća – projektne organizacije
4. Licenca odgovornog inženjera
5. Potvrda o članstvu Inženjerske komore Crne Gore
6. Polisa osiguranja
7. Tehnički opis
8. Grafički prilozi
9. Predmjer I predračun radova



IOM International Organization for Migration
OIM Organisation Internationale pour les Migrations
OIM Organización Internacional para las Migraciones

IOM Headquarters
Route des Morillons, 17, Geneva, Switzerland,
Requesting IOM Country/Region
Montenegro, Podgorica, CO, BU

PO Number PO4500050090
PO Date 28-MAY-2025
Contact Snezana KUJOVIC
PCR Code
Tel.
Buyer's Country Montenegro
Email skujovic@iom.int

PURCHASE ORDER

Vendor Details
A-TIM STUDIO DOO Podgorica
Ulica Ksenije Cicvaric 39, 81000, Podgorica
Tel. 078851
Email info@atimstudio.me
Your Vendor No. with us:
1000069126

Ship/Deliver Purchase Goods/Service To:
Podgorica, CO
UNHCR and IOM Common Premises
Bus Ctr Hilton, Ulica Slobode 2, 5f
81000
Podgorica
Montenegro

Terms of Payment Net 30
Details of Terms of Payment
Payment due in 30 days.

Send Invoice To:
Podgorica, CO
UNHCR and IOM Common Premises
Bus Ctr Hilton, Ulica Slobode 2, 5f
81000
Podgorica
Montenegro

Delivery Schedule
Delivery Date 31-07-2025
Inco Terms -
Shipping Method

No	Material Code & Description	Delivery Date	Order Qty.	Unit	Price Per Unit	Net Value
1	Development of design documentation for furnishing the Facility of Central Activities - Administrative Facility of the Ministry of Interiors.	31-JUL-2025				8,000.00
2	Development of design documentation for furnishing the Facility of Central Activities - Administrative Facility of the MoI - additional line to cover difference in price of initial PR and awarded price.	31-JUL-2025				2,084.64
					Total Basic Price	10,084.64
					Total Input Tax 0%	0.00
					EUR	10,084.64

Notes to Supplier
The following annexes form part of this Purchase Order (PO):
- Terms and Conditions for PO for Provision of Services;
- Quotation Form (RFQ Ref. No. 3000004565);
- Price Schedule;
- Terms of Reference.

Vendor's Acceptance
I confirm that I am authorized, as a representative of my company, to accept the terms and conditions contained in this Purchase Order. I certify that I have read the terms and conditions and that, on behalf of my company, I accept them unconditionally and agree to be bound by them.

Signed Over Printed Name & Date

02.06.25.



Prepared By:
Snezana KUJOVIC
28-MAY-2025

Approved By:
Vladimir GJORGJEV
28-MAY-2025

This document is considered valid if digitally authorized by the IOM Approver. This is system-generated and does not require an IOM signature.

Standard Terms and Conditions for Purchase Order for Provision of Services

1. Acceptance of Purchase Order

- 1.1 Acceptance of this Purchase Order (PO) by the Service Provider shall effect a contract between IOM and the Service Provider (jointly, the "Parties"). The Service Provider's acknowledgement of the PO, provision of any Services under the PO, or acceptance of any Service Fee shall constitute acceptance of the PO.
- 1.2 The rights and obligations of the Parties shall be governed solely by the PO which shall include the Standard Terms and Conditions and any Annexes (collectively, the "Agreement").
- 1.3 No additional or inconsistent provisions proposed by the Service Provider shall bind IOM unless agreed to in writing by a duly authorized IOM official.
- 1.4 In the event of a conflict between the terms of any Annex to the PO and the Standard Terms and Conditions, the Standard Terms and Conditions shall prevail.
- 1.5 The PO Number must appear on all invoices and correspondence.

2. Services Supplied

- 2.1 The Service Provider agrees to provide the Services as described in the PO in accordance with the Standard Terms and Conditions and any Annexes.
- 2.2 The Service Provider shall commence the provision of Services and fully and satisfactorily complete them by the date indicated and the specifications provided in the PO and any Annexes.

3. The Service Fee

- 3.1 The Service Fee indicated in the PO shall constitute as the full consideration for the complete performance of the Services.
- 3.2 The Service Provider shall invoice IOM upon completion of all the Services unless stated otherwise in the PO. The invoice shall include full details of Services provided and any specific requirements stipulated in the PO.
- 3.3 The Service Fee shall become due after IOM's receipt and approval of the invoice, within the period stated in the PO. Payment shall be made in currency stipulated in the PO by bank transfer to the Service Provider's bank account.
- 3.4 The Service Provider shall be responsible for the payment of all taxes, duties, levies and charges assessed on the Service Provider in connection with this Agreement.
- 3.5 IOM shall be entitled, without prejudice to any other rights or remedies it may have, to withhold payment of part or all of the Service Fee until the Service Provider has completed to the satisfaction of IOM the Services to which those payments relate.

4. Warranties

- 4.1 The Service Provider warrants that:
 - (a) It is a company financially sound and duly licensed, with adequate human resources, equipment, competence, expertise and skills necessary to provide fully and satisfactorily, within the stipulated completion period, all the Services in accordance with this Agreement;
 - (b) It shall comply with all applicable laws, ordinances, rules and regulations when performing its obligations under this Agreement;
 - (c) In all circumstances it shall act in the best interests of IOM;
 - (d) No official of IOM or any third party has received from, will be offered by, or will receive from the Service Provider any direct or indirect benefit arising from the Agreement or award thereof;
 - (e) It has not misrepresented or concealed any material facts in the procurement of this Agreement;
 - (f) The Service Provider, its staff or shareholders have not previously been declared by IOM ineligible to be awarded agreements by IOM;
 - (g) It has or shall take out relevant insurance coverage for the period the Services are provided under this Agreement;
 - (h) The Service Fee specified in this Agreement shall constitute the sole remuneration in connection with this Agreement. The Service Provider shall not accept for its own benefit any trade commission, discount or similar payment in connection with activities pursuant to this Agreement or the discharge of its obligations thereunder. The Service Provider shall ensure that any subcontractors, as well as the personnel and agents of either of them, similarly, shall not receive any such additional remuneration.
 - (i) It shall respect the legal status, privileges and immunities of IOM as an intergovernmental organization, such as inviolability of documents and archive wherever it is located, exemption from taxation, immunity from legal process or national jurisdiction. In the event that the Service Provider becomes aware of any situation where IOM's legal status, privileges or immunities are not fully respected, it shall immediately inform IOM.
 - (j) It is not included in the most recent Consolidated United Nations Security Council Sanctions List nor is it the subject of any sanctions or other temporary suspension. The Service Provider will disclose to IOM if it becomes subject to any sanction or temporary suspension during the term of this Agreement.
 - (k) It must not employ, provide resources to, support, contract or otherwise deal with any person, entity or other group associated with terrorism as per the most recent Consolidated United Nations Security Council Sanctions List and all other applicable terrorism legislation. If, during the term of this Agreement, the Service Provider determines there are credible allegations that funds transferred to it in accordance with this Agreement have been used to provide support or assistance to individuals or entities associated with terrorism, it will inform IOM immediately who in consultation with the donors as appropriate, shall determine an appropriate response. The Service Provider shall ensure that this requirement is included in all subcontracts.
- 4.2 The Service Provider warrants that it shall abide by the highest ethical standards in the performance of this Agreement, which includes not engaging in any fraudulent, corrupt, discriminatory or exploitative practice or practice inconsistent with the rights set forth in the Convention on the Rights of the Child. The Service Provider shall immediately inform IOM of any suspicion that the following practice may have occurred or exist:
 - (a) a corrupt practice, defined as the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence the action of IOM in the procurement process or in contract execution;
 - (b) a fraudulent practice, defined as any act or omission, including a misrepresentation or concealment, that knowingly or recklessly misleads, or attempts to mislead, IOM in the procurement process or the execution of a contract, to obtain a financial gain or other benefit or to avoid an obligation or in such a way as to cause a detriment to IOM;
 - (c) a collusive practice, defined as an undisclosed arrangement between two or more bidders designed to artificially alter the results of the tender process to obtain a financial gain or other benefit;
 - (d) a coercive practice, defined as impairing or harming, or threatening to impair or harm, directly or indirectly, any participant in the tender process to influence improperly its activities, or affect the execution of a contract;
 - (e) an obstructive practice, defined as (i) deliberately destroying, falsifying, altering or concealing of evidence material to IOM investigations, or making false statements to IOM investigators in order to materially impede a duly authorized investigation into allegations of fraudulent, corrupt, collusive, coercive or unethical practices; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or (ii) acts intended to materially impede the exercise of IOM's contractual rights of access to information;
 - (f) any other unethical practice contrary to the principles of efficiency and economy, equal opportunity and open competition, transparency in the process and adequate documentation, highest ethical standards in all procurement activities.
- 4.3 The Service Provider further warrants that it shall:
 - (a) Take all appropriate measures to prohibit and prevent actual, attempted and threatened sexual exploitation and abuse ("SEA") by its employees or any other persons engaged and controlled by it to perform activities under this Agreement ("other personnel"). For the purpose of this Agreement, SEA shall include:
 1. Exchanging any money, goods, services, preferential treatment, job opportunities or other advantages for sexual favours or activities, including humiliating or degrading treatment of a sexual nature; abusing a position of vulnerability, differential power or trust for sexual purposes, and physical intrusion of a sexual nature whether by force or under unequal or coercive conditions;
 2. Engaging in sexual activity with a person under the age of 18 ("child"), except if the child is legally married to the concerned employee or other personnel and is over the age of majority or consent both in the child's country of citizenship and in the country of citizenship of the concerned employee or other personnel.
 - (b) Strongly discourage its employees or other personnel having sexual relationships with IOM beneficiaries.
 - (c) Report timely to IOM any allegations or suspicions of SEA, and investigate and take appropriate corrective measures, including imposing disciplinary measures on the person who has committed SEA.
 - (d) Ensure that the SEA provisions are included in all subcontracts.
 - (e) Adhere to above commitments at all times.
- 4.4 The Service Provider expressly acknowledges and agrees that breach by the Service Provider, or by any of the Service Provider's employees, contractors, subcontractors or agents, of any provision contained in Articles 4.1, 4.2 or 4.3 of this Agreement constitutes a material breach of this Agreement and shall entitle IOM to terminate this Agreement immediately on written notice without liability. In the event that IOM determines, whether through an investigation or otherwise, that such a breach has occurred then, in addition to its right to terminate the Agreement, IOM shall be entitled to recover from the Service Provider all losses suffered by IOM in connection with such breach.

5. Assignment and Subcontracting

- 5.1 The Service Provider shall not assign or subcontract the activities under this Agreement in part or all, unless agreed upon in writing in advance by IOM. Any subcontract entered into by the Service Provider without approval in writing by IOM may be cause for termination of the Agreement.
- 5.2 In certain exceptional circumstances by prior written approval of IOM, specific jobs and portions of the Services may be assigned to a subcontractor. Notwithstanding the said written approval, the Service Provider shall not be relieved of any liability or obligation under this Agreement nor shall it create any contractual relation between the subcontractor and IOM. The Service Provider shall include in an agreement with a subcontractor all provisions in this Agreement that are applicable to a subcontractor, including



relevant Warranties and Special Provisions. The Service Provider remains bound and liable thereunder and it shall be directly responsible to IOM for any faulty performance under the subcontract. The subcontractor shall have no cause of action against IOM for any breach of the subcontract.

6. Delays, Defaults and Force Majeure

- 6.1 Time is of the essence in the performance of this Agreement. If the Service Provider fails to provide the Services within the times agreed to in the Agreement, IOM shall, without prejudice to other remedies under this Agreement, be entitled to deduct liquidated damages for delay. The amount of such liquidated damages shall be 0.1% of the value of the total Service Fee per day or part thereof up to a maximum of 10% of the Service Fee. IOM shall have the right to deduct such amount from the Service Provider's outstanding invoices, if any. Such liquidated damages shall only be applied when delay is caused solely by the default of the Service Provider. Acceptance of Services delivered late shall not be deemed a waiver of IOM's rights to hold the Service Provider liable for any loss and/or damage resulting therefrom, nor shall it act as a modification of the Service provider's obligation to perform further Services in accordance with the Agreement.
- 6.2 In case of failure by the Service Provider materially to perform in accordance with the Agreement, IOM may, after giving the Service Provider 30 days' written notice to perform and without prejudice to any other rights or remedies, terminate the Agreement with immediate effect without liability.
- 6.3 Neither Party will be liable for any delay in performing or failure to perform any of its obligations under this Agreement if such delay or failure is caused by force majeure, which means any unforeseeable and irresistible act of nature, any act of war (whether declared or not), invasion, revolution, insurrection, terrorism, blockade or embargo, strikes, Governmental or state restrictions, natural disaster, epidemic, public health crisis, and any other circumstances which are not caused by nor within the control of the affected Party. As soon as possible after the occurrence of a force majeure event which impacts the ability of the affected Party to comply with its obligations under this Agreement, the affected Party will give notice and full details in writing to the other Party of the existence of the force majeure event and the likelihood of delay. On receipt of such notice, the unaffected Party shall take such action as it reasonably considers appropriate or necessary in the circumstances, including granting to the affected Party a reasonable extension of time in which to perform its obligations. During the period of force majeure, the affected Party shall take all reasonable steps to minimize damages and resume performance. IOM shall be entitled without liability to suspend or terminate the Agreement if the Service Provider is unable to perform its obligations under the Agreement by reason of force majeure. In the event of such suspension or termination, the provisions on Termination herein shall apply.

7. Independent Contractor

The Service Provider, its employees and other personnel as well as its subcontractors and their personnel, if any, shall perform all Services under this Agreement as an independent contractor and not as an employee or agent of IOM.

8. Audit

The Service Provider agrees to maintain financial records, supporting documents, statistical records and all other records relevant to the Services in accordance with generally accepted accounting principles to sufficiently substantiate all direct and indirect costs of whatever nature involving transactions related to the provision of Services under this Agreement. The Service Provider shall make all such records available to IOM or IOM's designated representative at all reasonable times until the expiration of 7 (seven) years from the date of final payment, for inspection, audit, or reproduction. On request, employees of the Service Provider shall be available for interview.

9. Confidentiality

- 9.1 All information which comes into the Service Provider's possession or knowledge in connection with this Agreement is to be treated as strictly confidential. The Service Provider shall not communicate such information to any third party without the prior written approval of IOM. The Service Provider shall comply with IOM Data Protection Principles in the event that it collects, receives, uses, transfers or stores any personal data in the performance of this Agreement. These obligations shall survive the expiration or termination of this Agreement.
- 9.2 Notwithstanding the previous paragraph, IOM may disclose information related to this Agreement, such as the name of the Service Provider and the value of the Agreement, the title of the contract/project, nature and purpose of the contract/project, name and locality/address of the Service Provider and the amount of the contract/project to the extent as required by IOM's donors or in relation to IOM's commitment to any initiative for transparency and accountability of funding received by IOM in accordance with the policies, instructions and regulations of IOM.

10. Intellectual Property

All intellectual property and other proprietary rights including, but not limited to, patents, copyrights, trademarks, and ownership of data resulting from the performance of the Services shall be vested in IOM, including, without any limitation, the rights to use, reproduce, adapt, publish and distribute any item or part thereof.

11. Notices

Any notice given pursuant to this Agreement will be sufficiently given if it is in writing and received by the other Party at the addresses of IOM and Service Provider provided on the PO.

12. Dispute Resolution

- 12.1 Any dispute, controversy or claim arising out of or in relation to this Agreement, or the breach, termination or invalidity thereof, shall be settled amicably by negotiation between the Parties.
- 12.2 In the event that the dispute, controversy or claim has not been resolved by negotiation within 3 (three) months of receipt of the notice from one party of the existence of such dispute, controversy or claim, either Party may request that the dispute, controversy or claim is resolved by conciliation by one conciliator in accordance with the UNCITRAL Conciliation Rules of 1980. Article 18 of the UNCITRAL Conciliation Rules does not apply.
- 12.3 In the event that such conciliation is unsuccessful, either Party may submit the dispute, controversy or claim to arbitration no later than 3 (three) months following the date of termination of conciliation proceedings as per Article 15 of the UNCITRAL Conciliation Rules. The arbitration will be carried out in accordance with the 2010 UNCITRAL arbitration rules as adopted in 2013. The number of arbitrators shall be one and the language of arbitral proceedings shall be English, unless otherwise agreed by the Parties in writing. The arbitral tribunal shall have no authority to award punitive damages. The arbitral award will be final and binding.
- 12.4 The present Agreement as well as the arbitration agreement above shall be governed by the terms of the present Agreement and supplemented by internationally accepted general principles of law for the issues not covered by the Agreement; to the exclusion of any single national system of law that would defer the Agreement to the laws of any given jurisdiction. Internationally accepted general principles of law shall be deemed to include the UNIDROIT Principles of International Commercial Contracts. Dispute resolution shall be pursued confidentially by both Parties. This Article survives the expiration or termination of the present Agreement.

13. Use of IOM Name, Abbreviation and Emblem

The Service Provider shall not be entitled to use the name, abbreviation or emblem of IOM without IOM's prior written authorisation. The Service Provider acknowledges that use of the IOM name, abbreviation and emblem is strictly reserved for the official purposes of IOM and protected from unauthorized use by Article 6ter of the Paris Convention for the Protection of Industrial Property, revised in Stockholm in 1967 (828 UNTS 305 (1972)).

14. Status of IOM

Nothing in or relating to the Agreement shall be deemed a waiver, express or implied, of any of the privileges and immunities of the International Organization for Migration as an intergovernmental organization.

15. Guarantee and Indemnities

15.1 The Service Provider shall guarantee any work performed under this Agreement for a period of 12 (twelve) months after final payment by IOM under this Agreement.

15.2 The Service Provider shall at all times defend, indemnify, and hold harmless IOM, its officers, employees, and agents from and against all losses, costs, damages and expenses (including legal fees and costs), claims, suits, proceedings, demands and liabilities of any kind or nature to the extent arising out of or resulting from acts or omissions of the Service Provider or its employees, officers, agents or subcontractors, in the performance of this Agreement. IOM shall promptly notify the Service Provider of any written claim, loss, or demand for which the Service Provider is responsible under this clause. This indemnity shall survive the expiration or termination of this Agreement.

16. Waiver

Failure by either Party to insist in any one or more instances on a strict performance of any of the provisions of this Agreement shall not constitute a waiver or relinquishment of the right to enforce the provisions of this Agreement in future instances, but this right shall continue and remain in full force and effect.

17. Termination

- 17.1 IOM may at any time suspend or terminate this Agreement, in whole or in part, with immediate effect, by providing written notice to the Service Provider, in any case where the mandate of IOM applicable to the performance of the Agreement or the funding of IOM applicable to the Agreement is reduced or terminated. In addition, IOM may suspend or terminate the Agreement upon thirty (30) days' written notice without having to provide any justification.
- 17.2 In the event of termination of this Agreement, IOM will only pay for the Services completed in accordance with this Agreement, unless otherwise agreed in writing by the Parties. The Service Provider shall return to IOM any amounts paid in advance within 7 (seven) days from the notice of termination.
- 17.3 In the event of any termination of the Agreement, upon receipt of notice of termination, the Service Provider shall take immediate steps to bring the performance of any obligations under the Agreement to a close in a prompt and orderly manner, and in doing so, reduce expenses to a minimum, place no further subcontracts or orders for materials, services, or facilities, and terminate all subcontracts or orders to the extent they relate to the portion of the Agreement. Upon termination, the Service Provider shall waive any claims for damages including loss of anticipated profits on account thereof.
- 17.4 In the event of suspension of this Agreement, IOM will specify the scope of activities and/or deliverables that shall be suspended in writing. All other rights and obligations of this Agreement shall remain applicable during the period of suspension. IOM will notify the Service Provider in writing when the suspension is lifted and may modify the completion date. The Service Provider shall not be entitled to claim or receive any Service Fee or costs incurred during the period of suspension of this Agreement.

18. Severability

If any part of this Agreement is found to be invalid or unenforceable, that part will be severed from this Agreement and the remainder of the Agreement shall remain in full force.

19. Entirety

This Agreement embodies the entire agreement between the Parties and supersedes all prior agreements and understandings, if any, relating to the subject matter of this Agreement.

20. Entry into Force; Amendments

- 20.1 This Agreement will enter into force upon signature by both Parties. It will remain in force until completion of all obligations of the Parties under this Agreement unless terminated earlier in accordance with the provisions on Termination.
- 20.2 No amendment to this Agreement shall be valid or enforceable against IOM unless it is in writing and signed by a duly authorized official of IOM.



The Service Provider acknowledges and agrees that as the funding for this agreement (the "Agreement") derives from the European Union ("EU"), the following provisions are required and are to be read in conjunction with the provisions of the Agreement. This Annex forms an integral part of the Agreement. In case of discrepancies between the Agreement and the provisions of this Annex, the latter shall prevail.

Communication and Visibility

1. The official name and emblem or logo (as applicable) of IOM and the EU may only be used by the Service Provider in connection with the Project and with the prior written approval of IOM.
2. If as part of the Services information shall be given to the press and/or to the Final Beneficiaries¹ by the Service Provider, then the Service Provider shall include in all acknowledgements to the press and/or Final Beneficiaries, as well as in all related publicity material, official notices, reports and publications that the Services were carried out "with funding by the European Union" and shall display the EU logo (twelve yellow stars on a blue background) in an appropriate way. The content of any publications by the Service Provider pertaining to the Services, in whatever form and whatever medium, including the internet, shall be agreed in advance with IOM and shall carry the following disclaimer: "This document was produced with the financial assistance of the European Union. The views expressed herein can in no way be taken to reflect the official opinion of the European Union."
3. If during the provision of the Services under this Agreement, equipment, vehicles or major supplies are used, or permanent installations are set up for future use as part of the Services, the Service Provider shall if so requested by IOM display appropriate acknowledgement on such vehicles, equipment, major supplies or permanent installations, including the display of the EU logo (twelve yellow stars on a blue background). The Service Provider shall immediately alert IOM of any security risk resulting from such display, whereupon the Parties shall consult in order to reposition or remove the display, at IOM's sole discretion and at no extra cost.
4. IOM and the Service Provider shall consult immediately and endeavour to remedy any detected shortcoming in complying with the Communication and Visibility requirements of this Annex. This is without prejudice to measures IOM may take under the Agreement in case of substantial breach of an obligation.

Data Protection

5. The Service Provider shall ensure appropriate protection of personal data. Personal data shall be: - processed lawfully, fairly and in a transparent manner in relation to the data subject; - collected for specified, explicit and legitimate purposes and not further processed in a manner that is incompatible with those purposes; - adequate, relevant and limited to what is necessary in relation to the purposes for which they are processed; - accurate and, where necessary, kept up to date; - kept in a form which permits identification of data subjects for no longer than is necessary for the purposes for which the personal data are processed; and - processed in a manner that ensures appropriate security of the personal data.

Other obligations

6. The Service Provider shall promote the respect of human rights and respect applicable environmental legislation including multilateral environmental agreements, as well as internationally agreed core labour standards. The Service Provider shall not support activities that contribute to money laundering, terrorism financing, tax avoidance, tax fraud or tax evasion.
7. The Service Provider shall refrain from any action which may give rise to a conflict of interests. A conflict of interests shall be deemed to arise where the impartial and objective exercise of the functions of any person implementing this Agreement is compromised.
8. The Service Provider shall immediately notify IOM if it has or if it becomes aware that persons having powers of representation, decision making or control over the Service Provider:
 - (i) have been the subject of a final judgement or of a final administrative decision for fraud, corruption, involvement in a criminal organisation, money laundering, terrorist-related offences, child labour or trafficking in human beings; or
 - (ii) have been the subject of a final judgement or of a final administrative decision for an irregularity affecting the EU's financial interest.
9. The Service Agreement acknowledges and agrees that IOM shall inform the EU of any of the situations referred to in Article 8 of this Annex. The Service Provider further acknowledges and agrees that the EU may introduce this information in the EU's Early Detection and Exclusion System and may publish it on the website of the European Commission. The Service Provider shall immediately inform IOM when it becomes aware that transmitted information needs to be rectified, updated or removed.

Archiving

10. For a period of 7 (seven) years after the completion of the Services or up to the date until any on-going verification, appeal, litigation or pursuit of claim or investigation has been disposed of, if the latter lasts longer, or as otherwise notified by IOM to the Service Provider, the Service Provider shall keep and make available all relevant information (originals or copies) related to the Agreement as per clauses 11 to 15 below.

Access and Financial checks

11. The Service Provider acknowledges and agrees that IOM shall inform the competent bodies of the European Union of irregularities and fraud detected in the performance of the Agreement and the measures taken by the Service Provider in response thereto.
12. Personnel of the competent bodies of the European Union² shall have the same access to all financial records, supporting documents, statistical records and all other records relevant to the Services as IOM under the Audit Article of the Agreement.
13. To that end, the Service Provider undertakes to provide officials of IOM, European Commission, or any other authorised representatives, upon request, information and access to any documents and computerised data concerning the technical and financial management of Services paid under this Agreement, as well as grant them access to sites and premises at which Services are carried out. The Service Provider shall take all necessary measures to facilitate these checks. The documents and computerised data may include information which the Service Provider considers confidential. Such information once provided to the European Commission, or any other authorised EU representatives, shall be treated in accordance with EU confidentiality rules and legislation. Documents must be accessible and filed in a manner permitting checks, the Service Provider being bound to inform the European Commission of the exact location at which they are kept. Where appropriate, the Service Provider may agree with IOM to send copies of such documents for a desk review.
14. Where applicable, the desk reviews, investigations and on-the-spot checks referred to in Articles 12 and 13 of this Annex shall refer to a verification which shall be performed in accordance with the verification clauses agreed between the EU and IOM.
15. The competent bodies of the European Union or IOM shall inform the Service Provider of the planned on-the-spot missions by representatives appointed by the European Commission in due time in order to ensure adequate procedural matters are agreed upon in advance.

Termination

16. In the event of termination of the EU Agreement, IOM shall promptly notify the Service Provider, whereupon this Agreement shall terminate with immediate effect or on a later date if so indicated by IOM, and the Service Provider shall be entitled to payments in accordance with the relevant Article of the Agreement dealing with termination.



¹ Final Beneficiary means a natural or legal person ultimately benefitting from the funding provided under the EU Agreement.

² For the purposes of this Annex, reference to the competent bodies of the European Union includes the European Anti-Fraud Office and the European Court of Auditors.



Mini Request for Quotation 30000004565

Request For Quotation

RFQ Reference : 30000004565**Issuing/Publishing Date:** 2.4.25. 08.51**Subject of RFQ:** Development of design documentation for furnishing Administr. Facility of MoI**Open for Response Date =**
Open Date value : 2.4.25. 08.51**Description:** Development of design documentation for furnishing the Facility of Central Activities - Administrative Facility of the Ministry of Interior.**Contact Name:** IOM Montenegro

International Organization for Migration (IOM) is implementing an EU-funded project "Individual Measure to Strengthen Integrated Border Management Capacities in Montenegro" aiming to contribute to the effective, efficient and coordinated border management.

This project includes construction of the Facility of Central Activities - Administrative Facility of the Ministry of Interior, planned on the urban plot 3b-33k in the scope of the DUP "Zagorič 3-4 zona 2 - izmjene i dopune," on lots 182/1, 182/2, 182/3, and 182/4, KO Podgorica II, Municipality of Podgorica, according to Urban-Technical Conditions No. 08-352/18-553.

The architectural design is in accordance with the purpose of the facility, ensuring required functionality. The total net area of the building is 1260.58 m², with a total gross area of 1423.14 m².

Close Date: 23.4.25. 23.59**Contact Email:** iommnetenders@iom.int**Expected date for contract/PO award:** 7.5.25. 23.59**Timezone:** Central European Time

If any doubt exists as to the time zone in which the quotation should be submitted, refer to <http://www.timeanddate.com/worldclock/>

International Organization for Migration (IOM) kindly requests your quotation for the provision of the following services:

Development of design documentation for furnishing the Facility of Central Activities - Administrative Facility of the Ministry of Interior

International Organization for Migration (IOM) is implementing an EU-funded project "Individual Measure to Strengthen Integrated Border Management Capacities in Montenegro" aiming to contribute to the effective, efficient and coordinated border management.

This project includes construction of the Facility of Central Activities - Administrative Facility of the Ministry of Interior, planned on the urban plot 3b-33k in the scope of the DUP "Zagorič 3-4 zona 2 - izmjene i dopune," on lots 182/1, 182/2, 182/3, and 182/4, KO Podgorica II, Municipality of Podgorica, according to Urban-Technical Conditions No. 08-352/18-553.

The architectural design is in accordance with the purpose of the facility, ensuring required functionality. The total net area of the building is 1260.58 m², with a total gross area of 1423.14 m².

When preparing your quotation, please be guided by the RFQ information below. It is your responsibility to ensure that you

Proprietary and Confidential





Mini Request for Quotation 30000004565

quotation is submitted on or before the deadline. Quotations received after the submission deadline, for whatever reason, will not be considered for evaluation.

Instructions for submission of offers:

Deadline for the Submission of Quotation: **23 April 2025, until 23.59h**, Podgorica, Montenegro time zone (GMT+01:00).

Deadline for the clarifications and questions: **14 April 2025, until 10:00h**, Podgorica, Montenegro time zone (GMT+01:00).

All prices shall be **exclusive of VAT** and other applicable indirect taxes.

Method of Submission:

- **E-tendering through WAVE** (all suppliers can now register in Oracle as prospective IOM suppliers through this link: [Register Here](#); user guide on how to register, can be found [here](#)), or
- **via e-mail** to the following address: iommnetenders@iom.int.

Kindly note that e-mail data transfer to the above address is limited to **33MB**.

Proprietary and Confidential

2

RFQ INFORMATION

Method of submission	Quotation must be submitted as follows: E-tendering or email <i>Note that IOM only accepts bids submitted as per the required response method. In most countries, IOM only accepts bids submitted through E-tendering. In countries where IOM accepts bids submitted through several methods (i.e. by E-tendering, by email or by physical delivery/courier), IOM strongly encourages suppliers to submit bids via E-tendering as this will enhance the integrity and transparency of the procurement process, reduce manual errors and enable the streamlining of the processes, leading to an overall more effective process.</i>
Cost of preparation of quotation	IOM shall not be responsible for any costs associated with a vendor's preparation and submission of a quotation, regardless of the outcome or the manner of conducting the selection process.
Contractual Terms	Any Purchase Order that will be issued as a result of this RFQ shall be subject to the IOM standard terms for provision of goods/services/transportation/medical services available at https://www.iom.int/do-business-us-procurement or IOM standard contract templates.
Documents to be submitted	Bidders shall submit and sign the-bid submission form below.
Quotation validity period (days)	The vendor quotation should remain valid for the following number of days from the deadline for the submission. 60
Price	Quotations shall be for the goods, works and/or services stated in the Specification/TOR/SOW
Clarifications	Contact details for correspondence, notifications and clarifications Click or tap here to enter text. Contact Name: IOM Montenegro E-mail address: iommnetenders@iom.int
Evaluation method	The contract will be awarded to the lowest price substantially compliant offer
Right not to accept any quotation	IOM is not bound to accept any quotations, nor award a contract or purchase order





Mini Request for Quotation 30000004565

Response Rules

	Rule
☒	Suppliers are required to respond with full quantity on each line
☒	Suppliers are allowed to revise their submitted response

Thank you and we look forward to receiving your quotation.

Issued by: Route des Morillons, 17Geneva Switzerland

Name:
Title:
Date: 2025-04-02 06:51:58.0

Proprietary and Confidential

Requirements
**Response is required*



Mini Request for Quotation 30000004565

Proprietary and Confidential

5



TERMS OF REFERENCE

A. Project Title

Development of design documentation for furnishing the *Facility of Central Activities - Administrative Facility of the Ministry of Interior*.

B. Project Background

International Organization for Migration (IOM) is implementing an EU-funded project "Individual Measure to Strengthen Integrated Border Management Capacities in Montenegro" aiming to contribute to the effective, efficient and coordinated border management.

This project includes construction of the *Facility of Central Activities - Administrative Facility of the Ministry of Interior*, planned on the urban plot 3b-33k in the scope of the DUP "Zagorič 3-4 zona 2 - izmjene i dopune," on lots 182/1, 182/2, 182/3, and 182/4, KO Podgorica II, Municipality of Podgorica, according to Urban-Technical Conditions No. 08-352/18-553.

The architectural design is in accordance with the purpose of the facility, ensuring required functionality. The total net area of the building is 1260.58 m², with a total gross area of 1423.14 m². The facility includes:

- Ground floor: A large operational hall for the National Coordination Center of the Border Police, alongside official premises.
- First floor: Administrative offices for Mobile Units of the Border Police, the Regional Center of the Border Police, and common administrative spaces.
- Second floor: Offices for the Department for Border Controls, the Department for Operational Work and Risk Analysis, the Department for Foreigners and the Suppression of Illegal Migration, and the Department for Logistics and Support.
- Third floor: A storage area for unmanned aircraft and an accessible rooftop designed as a drone airfield.

C. Scope of Services, Expected Outputs and Target Completion

The Service Provider will undertake the following tasks:

1. Familiarization with the existing architectural Main design.

Proprietary and Confidential

6

2. Develop floor plans with marked furniture elements (office desks, office chairs, office cabinets, conference chairs, conference tables, kitchen furniture, etc.).
3. Provide a general and technical description of all furniture.
4. Prepare drawings of all furniture, including necessary views and sections.
5. Specify materials and finishings for furniture.
6. Develop visualizations/3D renderings of the furniture.
7. Prepare a Bill of quantities for total furnishing.

Expected outputs and target completion

Output	Completion Date
1. Floor plans with marked furniture elements, with a general and technical description.	30 days from the start date
2. Confirmation of the floor plans with developed Bill of quantities.	45 days from the start date
3. Completed design documentation with detail development of confirmed floor plans, specification of furniture, detail descriptions, 3D views of furniture, drawings.	60 days from the start date

D. Institutional Arrangement

Supervision and Reporting

The Service Provider will continuously inform IOM on the progress of development of design documentation.

Progress reviews will occur weekly through virtual or in-person meetings, or through email communication.

Resources

Proprietary and Confidential





Any additional support will be provided as necessary by the IOM.

E. Duration of the Work

The Service Provider will be engaged for a total of 60 days and in line with the *Target Completion*.

F. Location of Work

The work location will be at the Service Provider's premises.

If required, site visits can be arranged.

G. Qualifications of the Successful Service Provider at Various Levels

Company-Level Requirements:

Proven track record in architectural design and development of design documentation.

Minimum of 3 years' experience in similar projects.

Demonstrated compliance with local and international relevant standards.

Personnel Requirements and staff capacity:

Graduated architectural engineer with valid license issued by the relevant authority.

H. Scope of Proposal Price and Schedule of Payments

In consideration of the service performed, payment shall be scheduled as follows:

Advance payment equivalent to 10% (ten percent) of the contracted price.

Payment of the first instalment, equivalent to 40% (forty percent), according to the contracted price, upon completion and IOM acceptance of the following outputs:

1. Floor plans with marked furniture elements, with a general and technical description.
2. Confirmation of the floor plans with developed Bill of quantities.

Payment of the second/final instalment, equivalent to 50% (fifty percent), according to the contracted price, upon completion and IOM acceptance of the following outputs:

3. Completed design documentation with detail development of confirmed floor plans, specification of furniture, detail descriptions, 3D views of furniture, drawings.

Proprietary and Confidential

8



Mini Request for Quotation 30000004565

I. Recommended Presentation of Offer

The Service Provider is expected to:

Clearly outline experience, methodology, and implementation plans.

Include required personnel qualifications.

Design service price to be presented in the form of BoQ, Annex 3 (signed).

J. Annexes to the TOR

1. Annex 1 - Smjernice za projekat opremanja
2. Annex 2 - Drawings
3. Annex 3 - BoQ

Annexes to the TOR can be found at the link [here](#).

Note: Please ensure to include required attachments where needed, as it will not be possible to submit quotation without them.

Section 1. Preliminary Examination Criteria

- *1. Have you reviewed and understood the following contractual terms explained in this RFQ:
Any Purchase Order that will be issued as a result of this RFQ shall be subject to the IOM standard terms for provision of goods/services/transportation/medical services, available [here](#).

Select one of the following:-

- ☐ a. Yes, we comply. (Response attachments are optional)
☐ b. No, we cannot comply. (Response attachments are optional)

Comments:

- *2. Signed Bidder's Declaration of Conformity (page 15 within this RFQ).

Select one of the following:-

- ☐ a. Yes.
☐ b. No.

Comments:

Section 2. Eligibility criteria - Minimum Eligibility and Qualification Criteria

Proprietary and Confidential



- *1. Copy of original documents of registration (CRPS).
If Joint Venture/ Consortium/Association Information, then copy of registration documents should be submitted for each member.

Select one of the following:-

- ☐ a. Yes.(Response attachments are required)
☐ b. No.(Response attachments are optional)

- *2. Please fill attached Annex 4: Form for qualification, capacity and expertise that is relevant to the Terms of Reference.

Attachments:

File Name or URL	Type	Description
Annex 4 Form for Qualification	File	Qualification, Capacity and Expertise

Response attachments are required.

- *3. Company's valid license for development of design documentation issued by the competent authority (for all contracted members).

Select one of the following:-

- ☐ a. Yes.(Response attachments are required)
☐ b. No.

- *4. Please fill attached Annex 5: Form for brief methodology, approach and implementation plan.

Attachments:

File Name or URL	Type	Description
Annex 5 Form for Brief Methodo	File	Methodology, approach and implementation plan.

Select one of the following:-

- ☐ a. Yes.(Response attachments are required)
☐ b. No.

- *5. Fill attached Staff capacity table and add copy of **Valid license** (Graduated architectural engineer), copy of **employment certificate** for employee(s) stated in the Staff capacity table and **Membership confirmation** from Chamber of Engineering for each employee stated in table Staff capacity.

Attachments:

File Name or URL	Type	Description
Staff capacity.xlsx	File	Staff capacity table

Select one of the following:-

- ☐ a. Graduated architectural engineer (license from the Ministry of Ecology, Spatial Planning and Urbanism for carrying out the activity of design documentation and construction of structure)(Response attachments are required)
☐ b. Additional relevant engineering positions if any.(Response attachments are optional)

- *6. Please fill attached Annex 6: Form for team composition and CVs of key personnel.

Attachments:

File Name or URL	Type	Description
Annex 6 Form for Team composit	File	Team composition and CVs of key personnel.

Select one of the following:-

- ☐ a. Yes.(Response attachments are required)



Mini Request for Quotation 30000004565

☐ b. No. (Response attachments are optional)

*7. Bill of Quantity filled out, signed and attached.

Attachments:

File Name or URL	Type	Description
Annex 3 - BoQ.xlsx	File	Bill of Quantity to be filled, signed and attached.

Select one of the following:-

- ☐ a. Yes, Bill of Quantity attached. (Response attachments are required)
- ☐ b. No.

Section 3. Company-Level Requirements

*1. Please provide a record of previous activities (list) related to architectural design and project documentation.

Select one of the following:-

- ☐ a. Yes. (Response attachments are required)
- ☐ b. No. (Response attachments are optional)

*2. Minimum of 3 (three) years' experience in similar projects, proven with clients' references.

Please fill attached Annex 7: Form for relevant experience and references.

Attachments:

File Name or URL	Type	Description
Annex 7 Form for Relevant Expe	File	Form for Relevant Experience

Select one of the following:-

- ☐ a. Yes. (Response attachments are required)
- ☐ b. No. (Response attachments are optional)

Section 4. Compliance with delivery requirements

*1. Compliance with proposed completion dates (as per Terms of Reference): The Service Provider is expected to complete the work within 60 days in line with Target Completion.

Select one of the following:-

- ☐ a. Yes, we will comply.
- ☐ b. No, we cannot comply. (Response attachments are optional)

*2. Compliance with Quotation Validity period: 60 days.

Select one of the following:-

- ☐ a. Yes, we will comply. (Response attachments are optional)
- ☐ b. No, we cannot comply. (Response attachments are optional)

*3. Compliance with Proposed Payment Schedule (as per Terms of Reference):

Advance payment equivalent to 10% (ten percent) of the contracted price.

Payment of the first instalment, equivalent to 40% (forty percent), according to the contracted price, upon completion and IOM acceptance of the following outputs:

1. Floor plans with marked furniture elements, with a general and technical description.
2. Confirmation of the floor plans with developed Bill of quantities.

Payment of the second/final instalment, equivalent to 50% (fifty percent), according to the contracted price, upon completion and IOM acceptance of the following outputs:

Completed design documentation with detail development of confirmed floor plans, specification of furniture, detail

Proprietary and Confidential





Mini Request for Quotation 30000004565

descriptions, 3D views of furniture, drawings.

Select one of the following:-

- ☐ a. Yes, we will comply. *(Response attachments are optional)*
- ☐ b. No, we cannot comply. *(Response attachments are optional)*

Proprietary and Confidential

12



Mini Request for Quotation 30000004565

Lines
Delivery Requirements:

Currency of the Quotation:EUR					
INCOTERMS:					
Item No	Description	UOM	Qty	Unit price	Total price
	Development of design documentation for furnishing the Facility of Central Activities - Administrative Facility of the Ministry of Interiors.				
Total Price					



Proprietary and Confidential

13



Mini Request for Quotation 30000004565

COMPANY PROFILE (Vendor Information Form)**For New Suppliers Only**

Note that IOM only accepts bids submitted as per the required response method. In most countries, IOM only accepts bids submitted through E-tendering. In countries where IOM accepts bids submitted through several methods (i.e. by E-tendering, by email or by physical delivery/courier), IOM strongly encourages suppliers to submit bids via E-tendering as this will enhance the integrity and transparency of the procurement process, reduce manual errors and enable the streamlining of the processes, leading to an overall more effective process.

Item Description	Detail
Legal name of bidder*	
Legal Address (house no, street name, zip code, city*, region*, country*)	
Website	
Registration date* and VAT number*	
Legal structure	
Business type/industry category*	
Are you a UNGM registered vendor?	
Do you provide services/goods internationally?	
Contact information*	Company Tel/Mobile: Company Email: Contact Person 1: Contact Person 2:
Disability inclusive business*	
Women-owned/controlled*	
Bank Information	Bank Name: Bank Address: IBAN: SWIFT/BIC: Account Currency: Bank Account Number: Other relevant information:

¹ If company is not registered in UNGM or with IOM. If supplied to IOM already, please indicate if there are any changes to be incorporated in the vendor information sheet signed earlier

**BIDDER'S DECLARATION OF CONFORMITY**

Note that IOM only accepts bids submitted as per the required response method. In most countries, IOM only accepts bids submitted through E-tendering. In countries where IOM accepts bids submitted through several methods (i.e. by E-tendering, by email or by physical delivery/courier), IOM strongly encourages suppliers to submit bids via E-tendering as this will enhance the integrity and transparency of the procurement process, reduce manual errors and enable the streamlining of the processes, leading to an overall more effective process.

Yes	No	
☐	☐	On behalf of the vendor, I hereby represent and warrant that neither the vendor, nor any person having powers of representation, decision-making or control over it or any member of its administrative, management or supervisory body, has been the subject of a final judgement or final administrative decision for one of the following reasons: bankruptcy, insolvency or winding-up procedures; breach of obligations relating to the payment of taxes or social security contributions; grave professional misconduct, including misrepresentation, fraud; corruption; conduct related to a criminal organisation; money laundering or terrorist financing; terrorist offences or offences linked to terrorist activities; child labour and other trafficking in human beings, any discriminatory or exploitative practice, or any practice that is inconsistent with the rights set forth in the Convention on the Rights of the Child or other prohibited practices; irregularity; creating or being a shell company.
☐	☐	On behalf of the vendor, I further represent and warrant that the vendor is financially sound and duly licensed.
☐	☐	On behalf of the vendor, I further represent and warrant that the vendor has adequate human resources, equipment, competence, expertise and skills necessary to complete the contract fully and satisfactorily, within the stipulated completion period and in accordance with the relevant terms and conditions.
☐	☐	On behalf of the vendor, I further represent and warrant that the vendor complies with all applicable laws, ordinances, rules and regulations.
☐	☐	On behalf of the vendor, I further represent and warrant that the vendor will in all circumstances act in the best interests of IOM.
☐	☐	On behalf of the vendor, I further represent and warrant that no official of IOM or any third party has received from, will be offered by, or will receive from the vendor any direct or indirect benefit arising from the contract.
☐	☐	On behalf of the vendor, I further represent and warrant that the vendor has not misrepresented or concealed any material facts during the contracting process.
☐	☐	On behalf of the vendor, I further represent and warrant that the vendor will respect the legal status, privileges and immunities of IOM as an intergovernmental organization.



² This form is mandatory to fill in and sign by every vendor who submits quotation



Mini Request for Quotation 30000004565

Yes	No	
☐	☐	On behalf of the vendor, I further represent and warrant that the vendor does not employ, provide resources to, support, contract or otherwise deal with any person, entity or other group associated with terrorism as per the UN Sanctions List and any other applicable anti-terrorism legislation.
☐	☐	On behalf of the vendor, I further represent and warrant that, the vendor will apply the highest ethical standards, the principles of efficiency and economy, equal opportunity, open competition and transparency, and will avoid any conflict of interest.
☐	☐	On behalf of the vendor, I further represent and warrant that the vendor undertakes to comply with the Code of Conduct, available at https://www.unhcr.org/Public/CodeOfConduct .
☐	☐	It is the responsibility of the vendor to inform IOM immediately of any change to the information provided in this Declaration.
☐	☐	On behalf of the vendor, I certify that I am duly authorized to sign this Declaration and on behalf of the vendor I agree to abide by the terms of this Declaration for the duration of any contract entered into between the vendor and IOM.
☐	☐	IOM reserves the right to terminate any contract between IOM and the vendor, with immediate effect and without liability, in the event of any misrepresentation made by the vendor in this Declaration.

Name:

Title:

Date: 2025-04-02 06:51:58.0



Proprietary and Confidential

16



Mini Request for Quotation 30000004565



Lines

Delivery Requirements:

Currency of the Quotation: EUR

INCOTERMS:

Item No	Description	UOM	Qty	Unit price	Total price
1/	Development of design documentation for furnishing the Facility of Central Activities - Administrative Facility of the Ministry of Interiors.	m2	1280,58	8,00	10.084,64
Total Price					10.084,64 €



Proprietary and Confidential

13

TERMS OF REFERENCE



A. Project Title

Development of design documentation for furnishing the *Facility of Central Activities - Administrative Facility of the Ministry of Interior*.

B. Project Background

International Organization for Migration (IOM) is implementing an EU-funded project "Individual Measure to Strengthen Integrated Border Management Capacities in Montenegro" aiming to contribute to the effective, efficient and coordinated border management.

This project includes construction of the *Facility of Central Activities - Administrative Facility of the Ministry of Interior*, planned on the urban plot 3b-33k in the scope of the DUP "Zagorič 3-4 zona 2-izmjene i dopune," on lots 182/1, 182/2, 182/3, and 182/4, KO Podgorica II, Municipality of Podgorica, according to Urban-Technical Conditions No. 08-352/18-553.

The architectural design is in accordance with the purpose of the facility, ensuring required functionality. The total net area of the building is 1260.58 m², with a total gross area of 1423.14 m². The facility includes:

- Ground floor: A large operational hall for the National Coordination Center of the Border Police, alongside official premises.
- First floor: Administrative offices for Mobile Units of the Border Police, the Regional Center of the Border Police, and common administrative spaces.
- Second floor: Offices for the Department for Border Controls, the Department for Operational Work and Risk Analysis, the Department for Foreigners and the Suppression of Illegal Migration, and the Department for Logistics and Support.
- Third floor: A storage area for unmanned aircraft and an accessible rooftop designed as a drone airfield.

C. Scope of Services, Expected Outputs and Target Completion

The Service Provider will undertake the following tasks:

1. Familiarization with the existing architectural Main design.
2. Develop floor plans with marked furniture elements (office desks, office chairs, office cabinets, conference chairs, conference tables, kitchen furniture, etc.).
3. Provide a general and technical description of all furniture.
4. Prepare drawings of all furniture, including necessary views and sections.
5. Specify materials and finishings for furniture.
6. Develop visualizations/3D renderings of the furniture.
7. Prepare a Bill of quantities for total furnishing.

Expected outputs and target completion

Output	Completion Date
1. Floor plans with marked furniture elements, with a general and technical description.	30 days from the start date
2. Confirmation of the floor plans with developed Bill of quantities.	45 days from the start date
3. Completed design documentation with detail development of confirmed floor plans, specification of furniture, detail descriptions, 3D views of furniture, drawings.	60 days from the start date

D. Institutional Arrangement

Supervision and Reporting

- The Service Provider will continuously inform IOM on the progress of development of design documentation.
- Progress reviews will occur weekly through virtual or in-person meetings, or through email communication.

Resources

- Any additional support will be provided as necessary by the IOM.

E. Duration of the Work

The Service Provider will be engaged for a total of 60 days and in line with the *Target Completion*.

F. Location of Work

The work location will be at the Service Provider's premises.

If required, site visits can be arranged.

G. Qualifications of the Successful Service Provider at Various Levels

Company-Level Requirements:

- Proven track record in architectural design and development of design documentation.
- Minimum of 3 years' experience in similar projects.
- Demonstrated compliance with local and international relevant standards.

Personnel Requirements and staff capacity:

- Graduated architectural engineer with valid license issued by the relevant authority.

H. Scope of Proposal Price and Schedule of Payments

In consideration of the service performed, payment shall be scheduled as follows:

Advance payment equivalent to 10% (ten percent) of the contracted price.

Payment of the first instalment, equivalent to 40% (forty percent), according to the contracted price, upon completion and IOM acceptance of the following outputs:

1. Floor plans with marked furniture elements, with a general and technical description.
2. Confirmation of the floor plans with developed Bill of quantities.

Payment of the second/final instalment, equivalent to 50% (fifty percent), according to the contracted price, upon completion and IOM acceptance of the following outputs:

3. Completed design documentation with detail development of confirmed floor plans, specification of furniture, detail descriptions, 3D views of furniture, drawings.



I. Recommended Presentation of Offer

The Service Provider is expected to:

- Clearly outline experience, methodology, and implementation plans.
- Include required personnel qualifications.
- Design service price to be presented in the form of BoQ, Annex 3.

J. Annexes to the TOR

1. Annex 1- Smjernice za projekat opremanja
2. Annex 2- Drawings
3. Annex 3- BoQ

**IZVOD IZ CENTRALNOG REGISTRA PRIVREDNIH
SUBJEKATA PORESKE UPRAVE**

Registarski broj 5 - 0750403 / 005
PIB: 03075109

Datum registracije: 18.01.2016.
Datum promjene podataka: 14.12.2023.

**DRUŠTVO ZA PROIZVODNJU, PROMET I USLUGE, EXPORT-IMPORT "A-TIM
STUDIO" D.O.O. - PODGORICA**

Broj važeće registracije: /005

Skraćeni naziv: A-TIM STUDIO
Telefon: +38269078851
eMail: atimstudio.info@gmail.com
Web adresa:
Datum zaključivanja ugovora: 15.01.2016.
Datum donošenja Statuta: 15.01.2016. Datum promjene Statuta: 16.05.2022.
Adresa glavnog mjesta poslovanja: KSENIJE CICVARIĆ 39 PODGORICA
Adresa za prijem službene pošte: KSENIJE CICVARIĆ 39 PODGORICA
Adresa sjedišta: KSENIJE CICVARIĆ 39 PODGORICA
Pretežna djelatnost: 7112 Inženjerske djelatnosti i tehničko savjetovanje
Obavljanje spoljno-trgovinskog poslovanja: DA
Oblik svojine: Privatna
Porijeklo kapitala: Domaći
Upisani kapital: 2,00Euro (Novčani 2,00Euro, nenovčani 0,00Euro)

OSNIVAČI:

ŽELJKO RATIĆ 2406958383928 CRNA GORA

Uloga: Osnivač

Udio: 50% Adresa: 27.MARTA BR.G7/8 PODGORICA CRNA GORA

MARKO KATNIĆ 0104988254991 CRNA GORA

Uloga: Osnivač

Udio: 50% Adresa: ŠAVNIČKA BR.1/5 PODGORICA CRNA GORA

LICA U DRUŠTVU:

TONJA KATNIĆ 1709987215146 CRNA GORA

Adresa: VAKA DJUROVIĆA 82/2 PODGORICA CRNA GORA

Uloga: Ovlašćeni zastupnik

Ovlašćenja u prometu: Neograničeno ()

Ovlašćen da djeluje: POJEDINAČNO ()

MARKO KATNIĆ 0104988254991 CRNA GORA

Adresa: ŠAVNIČKA BR.1/5 PODGORICA CRNA GORA

Uloga: Izvršni direktor

Ovlašćenja u prometu: Neograničeno ()

Ovlašćen da djeluje: POJEDINAČNO ()

Izdato: 06.02.2025 godine u 10:53h



Podgorica

Načelnica

Sanja Bojanić



Crna Gora
Ministarstvo prostornog planiranja,
urbanizma i državne imovine

Adresa: IV proleterske brigade broj 19
81000 Podgorica, Crna Gora
tel: +382 20 446 200
fax: +382 20 446 215

Broj: UPI 14-332/23-606/5

Podgorica, 04.11.2024.godine

D.O.O. "A TIM STUDIO"

PODGORICA
Ksenije Cicvarić 39

U prilogu ovog akta, dostavljamo vam rješenje, broj i datum gornji.



MINISTAR

Slaven Radunović

SAGLASNA:

Marina Izgarević Pavićević : Državna sekretarka

ODOBRIO:

Petar Vučinić, načelnik odjeljenja

OBRADILA

Jelena Pejović, dipl.pravnica



Crna Gora
Ministarstvo prostornog planiranja,
urbanizma i državne imovine

Adresa: IV proleterske brigade broj 19
81000 Podgorica, Crna Gora
tel: +382 20 446 200
fax: +382 20 446 215

Broj: UPI 14-332/23-606/5

Podgorica, 04.11.2024. godine

Ministarstvo prostornog planiranja, urbanizma i državne imovine, postupajući po zahtjevu privrednog društva D.O.O. "A TIM STUDIO" PODGORICA, broj UPI 14-332/23-606/3 od 31.10.2024. godine, za izmjenu licence za projektanta i izvođača radova, broj UPI 14-332/23-606/2 od 18.05.2023. godine na osnovu člana 135 Zakona o planiranju prostora i izgradnji objekata ("Službeni list CG", br. 64/17, 44/18, 63/18, 11/19 i 82/20), člana 15 Uredbe o organizaciji i načinu rada državne uprave ("Službeni list CG", br. 098/23, 102/23, 071/24, 072/24 i 090/24) i čl. 18 i 46 stav 1 Zakona o upravnom postupku ("Službeni list CG", br. 56/14, 20/15, 40/16 i 37/17), donijelo je

R J E Š E N J E

Privrednom društvu D.O.O. "A TIM STUDIO" PODGORICA, izdaje se

LICENCA

projektanta i izvođača radova

na period od **pet godina**.

Ovo rješenje zamjenjuje rješenje broj UPI 14-332/23-606/2 od 18.05.2023. godine.

O b r a z l o ž e n j e

Aktom broj UPI 14-332/23-606/3 od 31.10.2024. godine, ovom ministarstvu, obratilo se privredno društvo D.O.O. "A TIM STUDIO" PODGORICA, pretežna djelatnost - 7112 – Inženjerske djelatnosti i tehničko savjetovanje, zahtjevom za izmjenu licence projektanta i izvođača radova broj UPI 14-332/23-606/2 od 18.05.2023.godine. Uz zahtjev, privredno društvo je priložilo sljedeće dokaze:

- 1) rješenje broj UPI 107/7-1686/2 od 10.04.2018. godine, kojim je **Marku Katniću, diplomirani inženjer arhitekture**, izdata licenca ovlašćenog inženjera za obavljanje djelatnosti izrade tehničke dokumentacije i građenje objekta, donijeto od strane Ministarstva održivog razvoja i turizma;
- 2) ugovor o radu broj 14/2016 sa Markom Katnićem od 18.01.2016.godine, do 31.03.2024. godine;
- 3) rješenje broj UPI 072/7-149/2 od 30.06.2021. godine, kojim je **Stefanu Erakoviću, stepen specijaliste (Spec.Sci) građevinarstva – hidrotehnički smjer**, izdata licenca



CRNA GORA

MINISTARSTVO ODRŽIVOG RAZVOJA
I TURIZMA

DIREKTORAT ZA INSPEKCIJSKI NADZOR I
LICENCIRANJE
Direkcija za licenciranje
Broj: UPI 107/7-1687/2
Podgorica, 10.04.2018. godine

TONJA RATIĆ

4.Jula 109
PODGORICA

U prilogu ovog dopisa, dostavlja Vam se rješenje, broj i datum gornji.



Dostavljeno:
-Naslovu;
-a/a.

MINISTARSTVO ODRŽIVOG RAZVOJA I TURIZMA
DIREKTORAT ZA INSPEKCIJSKI NADZOR
I LICENCIRANJE
Direkcija za licenciranje
Broj: UPI 107/7-1687/2
Podgorica, 10.04.2018. godine

Ministarstvo održivog razvoja i turizma, rješavajući po zahtjevu mr Tonje Ratić, Spec.Sci. arhitekture, iz Podgorice, za izdavanje licence za ovlaštenog inženjera, na osnovu člana 135 st. 1 i 2 Zakona o planiranju prostora i izgradnji objekata ("Službeni list Crne Gore" br. 64/17) i člana 46 stav 1 Zakona o upravnom postupku ("Službeni list Crne Gore" br. 56/14, 20/15, 40/16 i 37/17), donosi

RJEŠENJE

1. IZDAJE SE mr TONJI RATIĆ, Spec.Sci. arhitekture, iz Podgorice, LICENCA ovlaštenog inženjera za obavljanje djelatnosti izrade tehničke dokumentacije i građenje objekta.
2. Ova Licenca se izdaje na neodređeno vrijeme.

Obrazloženje

Aktom, br. UPI 107/7-1687/1 od 28.03.2018.godine, mr Tonja Ratić, Spec.Sci. arhitekture, iz Podgorice, obratila se ovom ministarstvu zahtjevom za izdavanje licence ovlaštenog inženjera za obavljanje djelatnosti izrade tehničke dokumentacije i građenje objekta.

Uz zahtjev imenovana je ovom ministarstvu dostavila sledeće dokaze:

- Lična karta (ovjerena fotokopija);
- Rješenje Ministarstva prosvjete UPI br.05-1-353/1 od 23.aprila 2013.godine, kojim se Tonji Ratić, priznaje Diploma o stečenom visokom obrazovanju i stručnom nazivu Magistar arhitekture, nakon završenih studija u trajanju od pet godine, Univerziteta »La Sapienza« u Rimu, Republika Italija(ovjerena fotokopija);
- Rješenje Inženjerske komore Crne Gore kojim se Mr Tonji Ž. Ratić, spec.sci.arh., iz Podgorice, izdaje licenca odgovornog projektanta za izradu projekata arhitekture objekata, projekata unutrašnje arhitekture, projekata u nutrašnjih instalacija vodovoda i kanalizacije i projekata uređenje terena, br. 01-1243/4 od 12.11.2015. godine;
- Rješenje Inženjerske komore Crne Gore kojim se Mr Tonji Ž. Ratić, spec.sci.arh., iz Podgorice, izdaje licenca odgovornog inženjera za izvođenje građevinskih i građevinsko-zanatskih radova na arhitektonskim objektima, radova unutrašnje arhitekture, radova na unutrašnjim instalacijama vodovoda i kanalizacije i radova na uređenju terena, br. 01-1243/4 od 12.11.2015. godine;
- Radna knjižica (ovjerena fotokopija);
- Uvjerjenje Ministarstva pravde da u kaznenoj evidenciji ne postoje podaci o osuđivanosti za imenovanu.

Ministarstvo održivog razvoja i turizma, razmotrilo je podnijeti zahtjev pa je odlučilo kao u dispozitivu ovog rješenja, a ovo iz sledećih razloga:

Naime, članom 123 stav 1 Zakona o planiranju prostora i izgradnji objekata (»Službeni list Crne Gore« br. 64/17), propisano je da ovlašćeni inženjer može da bude fizičko lice koje obavlja poslove izrade tehničke dokumentacije odnosno građenje objekta, odgovarajuće struke, sa visokim obrazovanjem, odnosno najmanje kvalifikacijom VII1 podnivoa okvira kvalifikacije i

najmanje tri godine radnog iskustva na stručnim poslovima izrade tehničke dokumentacije i građenja objekta.

Članom 3 stav 1 tačka 1 Pravilnika o načinu i postupku izdavanja, mirovanja licence i načinu vođenja registara licenci („Službeni list Crne Gore „ br. 79/17), utvrđene su vrste licenci, a između ostalih i licenca ovlašćenog inženjera koja se izdaje fizičkom licu za obavljanje djelatnosti izrade tehničke dokumentacije i građenje objekta.

Članom 4 stav 1 tač. 1-4. Pravilnika, utvrđeno je da se u postupku izdavanja licence ovlašćenog inženjera, provjerava: 1) identitet podnosioca zahtjeva; 2) da li podnosilac zahtjeva posjeduje visoko obrazovanje, odnosno najmanje kvalifikacije VII1 podnivoa okvira kvalifikacija, odnosno da li je izvršeno priznavanje inostrane obrazovne isprave najmanje kvalifikacije VII1 podnivoa okvira kvalifikacija; 3) da li podnosilac zahtjeva ima najmanje tri godine radnog iskustva na stručnim poslovima izrade tehničke dokumentacije i građenju objekta sa visokim obrazovanjem, odnosno najmanje kvalifikacije VII1 podnivoa okvira kvalifikacije i 4) da li je podnosilac zahtjeva osuđivan za krivično djelo za koje se gonjenje preduzima po službenoj dužnosti.

Stavom 3 istog člana Pravilnika, utvrđeno je da se radno iskustvo u smislu stava 1 tačka 3 ovog člana, smatra radno iskustvo u svojstvu saradnika na izradi tehničke dokumentacije na građenju objekta, odnosno izvođenja pojedinih radova na građenju objekta. Stavom 4 istog člana Pravilnika, utvrđeno je da se izuzetno od stava 3 ovog člana, fizičkom licu koje posjeduje licencu za izradu tehničke dokumentacije i građenje objekata, izdatu po propisima koji su važili do donošenja ovog propisa, radno iskustvo može dokazati na osnovu uvida u dokumentaciju koja je bila osnov za njeno izdavanje.

Članom 137 stav 1 Zakona, propisano je da se licenca za fizičko lice izdaje na neodređeno vrijeme.

Rješavajući po predmetnom zahtjevu, a na osnovu uvida u dostavljene dokaze, ovo ministarstvo nalazi, da su se u konkretnoj pravnoj stvari stekli uslovi za primjenu čl. 123 stav 1 i 135 stav 2 Zakona o planiranju prostora i izgradnji objekata, a u vezi čl 3 stav 1 tač. 1 i čl. 4 Pravilnika o načinu i postupku izdavanja, mirovanja licence i načinu vođenja registara licenci.

Saglasno izloženom, riješeno je kao u dispozitivu ovog rješenja.

PRAVNA POUKA: Protiv ovog rješenja može se pokrenuti upravni spor tužbom kod Upravnog suda Crne Gore u roku od 20 dana od dana prijema istog.

OVLAŠĆENO SLUŽBENO LICE

Nikola Petrović



	lovćen	Broj Polise / Računa: ODG006049	Veza sa Polisom: _____	
		O.J. obračuna: 3104	Zamjena polise: ODG004898	
		Podružnica: 31_Zastupnik PG2		

POLISA OSIGURANJA / RAČUN	BROJ POLISE / RAČUNA: ODG006049
----------------------------------	--

UGOVARAČ: A-TIM STUDIO D.O.O, Ul.Ksenije Cicvarić 39, PODGORICA, JMBG/PIB: 03075109

OSIGURANIK: A-TIM STUDIO D.O.O, Ul.Ksenije Cicvarić 39, PODGORICA, JMBG/PIB: 03075109

TRAJANJE OSIGURANJA: Polisa važi od **29.11.2024. u 00:00** do **28.11.2025. u 23:59**

NAČIN OSIGURANJA: Osigurava se na sume osiguranja koje je odredio ugovarač osiguranja

USLOVI OSIGURANJA: Ovo osiguranje je zaključeno shodno ZOO i sledećim uslovima: Opšti uslovi za osiguranje projektantske odgovornosti (US-odp/99-06-cg); Klausula o isključenju pokriva u vezi sa infektivnom bolešću (Covid-19) (KL-covid/20-12-cg)

Osigurava se:	Suma osiguranja €	Premija €
Šifra: 13110ODP		
1.Opasnost: Projektantska odgovornost		
1.1. (P.O.- Odgovornost za fizička oštećenja i uništenja po uslovima US-odp (član 1. stav 1.) i odgovornost iz tehničkog nadzora "konsaltinga" po uslovima US-odp (član 1. stav 3)): Osiguranjem su pokriveni odštetni zahtjevi (zahtjevi za naknadu štete) ispostavljeni osiguraniku za štete nastale usled greške u tehničko računskim i statičkim osnovama, te izračunavanjima, kalkulacijama, konstrukciji i tehničkoj izradi projektne dokumentacije, ukoliko greška, za vrijeme pokriva osiguranja, ima za posledicu oštećenje ili uništenje osiguranog objekta, (takozvana fizička oštećenja) koji se izvodi odnosno izgrađuje /montira po projektu kojeg je izradio osiguranik. Po ovim uslovima se pod objektima smatraju kako građevinski objekti tako i mašinska, električna i druga (ostala) oprema. Predviđena vrijednost svih projektnih radova u narednoj osiguravajućoj godini :80,000.00€ Uključeno je osiguravajuće pokrivanje koje se odnosi na greške koje proizilaze iz tehničkog nadzora, revidovanja projekata i konsaltinga. Isključeno je pokrivanje za greške, odnosno troškove, koje nemaju za posledicu fizičko oštećenje, već potrebu za izradom, nabavkom ili ugradnjom novog elementa ili dijela. Uključeno pokrivanje tokom garancije na period od 1 godine. Učešće u šteti 10% a minimalno 600€. Godišnji agregat :200,000.00€ Iz osiguravajućeg pokriva su isključene štete koje nastaju tokom izvođenja radova (odgovornost izvođača radova) Sastavni dio polise Klausula o isključenju pokriva u vezi sa infektivnom bolešću (Covid-19) (KL-covid/20-12-cg).	200.000,00€	260,00€
A Uključena odgovornost za fizička oštećenja i uništenje (Vrijednost godišnje realizacije svih projekata do 108.000EUR) (0.325%)		
B Doplatka za uvećanu sumu osiguranja (150%)		390,00€
C Osiguranik kod svake štete učestvuje sa 10% od priznate štete a min 600 EUR (0%)		
D Godišnji agregat jednostruki (20%)		-130,00€
E Popust za period garancije od jedne godine (5%)		-26,00€
F trajanje do 1 godine (100%)		

OS - 01 / I

lovćen Osiguranje AD ul. Slobode 13A 81000 Podgorica; PIB: 02018560; PDV: 20/31-00113-8; Tel: 020 404 400 www.lo.co.me email: info@lo.co.me

Štampano: 21.11.2024 15:27

Tehnički opis

Projekat opremanja namještajem urađen je u skladu sa ugovorom br. PO45000050090 potpisanog 02.06.2025. godine .

Projekat opremanja namještajem Administrativnog objekta MUP-a u Zagoriču izrađen je na osnovu glavnog projekta objekta a ne na osnovu uzetih mjera na licu mjesta. Izvođač je obavezan da sve mjere provjeri u prostoru, a sve eventualne razlike u odnosu na projektovano rješenje usaglasi sa naručiocem posla.

Sav namještaj mora biti izrađen od kvalitetnih, izdržljivih i lako održivih materijala otpornih na habanje, grebanje i prljanje, posebno imajući u vidu intenzivnu upotrebu od strane policijskih službenika i pratećeg osoblja. Tonovi i završne obrade elemenata moraju biti usklađeni sa cjelokupnom estetikom prostora, vodeći računa o profesionalnom i reprezentativnom izgledu.

Konstrukcija elemenata projektovana je modularno, radi mogućnosti prilagođavanja različitim potrebama, promjenama u organizaciji prostora i eventualnim tehničkim nadogradnjama. Predviđeno je skriveno vođenje električnih i IT instalacija sa jednostavnim pristupom za održavanje, uključujući i prodore sa rozetnama, servisna vrata, kanale za kablove i nosače kućišta računara gdje je to potrebno.

Konstrukcija stolova I sami stolovi su predviđeni da se sklapaju na licu mjesta u prostorijama NCC sale, NCC sale za sastanke I sale za sastanke na I spratu.

Svi komadi namještaja koji imaju krila I fioke, moraju biti opremljeni mehanizmima za usporeno i tiho zatvaranje frontova (soft-close sistem). Za arhivske prostore predviđeni su čvrsti i sigurni plakari sa ojačanim policama, podesivim nosačima za police i zaključavanjem donjih dijelova. Plakari u kancelarijama imaju kombinaciju zatvorenih i otvorenih segmenata, kao i dio za vješanje odjeće.

Namještaj u NCC sali mora biti prilagođen višesatnom radu više operatera, sa optimalnom širinom radnih ploča, integrisanim kanalima za kablove i sertifikovanim stolicama minimalne nosivosti od 150 kg za ključne radne

pozicije. U salama i kancelarijama (osim u prostoriji broj 6) planirani su fiokari sa tri fioke za svako radno mjesto. Svi fiokari po potrebi mogu biti pozicionirani i pored radnih stolova.

Sve eventualne izmjene, prilagođavanja ili tehničke korekcije u odnosu na projektovano rješenje moraju biti prethodno odobrene od strane naručioca posla, a izvođenje radova mora biti u skladu sa standardima kvaliteta i tehničkom dokumentacijom.

Za formiranje projektantske cijene uzete su u obzir razne logističke problematike koje se mogu javiti prilikom iznošenja i unošenja namještaja.

Projektant A TIM STUDIO d.o.o.



OSNOVE SA POZICIJOM NAMJEŠTAJA



REDNI BROJ	SIMBOL		DIMENZIJE cm	KOLICINA
1	radni sto		170x70	1
2	radni sto		250x90	1
3	radni sto		140x65	9
4	radni sto		130x70	4
5	kancelarijski plakar		145x40	1
6	kancelarijski plakar		140x50	2
7	plakar u toaletu		100x50	1
9	kancelarijski plakar		100x40	1
10	kancelarijski plakar		130x40	4
11	kuhinja		140cm	2
12	metalni plakar		90x45	1
13	plakar arhiva		110x45	1
14	plakar arhiva		80x40	1
15	plakar arhiva		200x40	1
16	pult		170x70	1
17	kancelarijska stolica		/	32
18	kancelarijska stolica		/	15
19	fotelja		70x70	4
21	komoda		125x40	7
21.1	komoda		130x40	2
21.2	komoda		107x40	3
21.3	komoda		125.5x40	4
22	stolica za pult		/	1
23	sto za sastanke		570x250	1
24	fiokar		42.1x55.2	14
25	radni stolovi NCC		sto sa tri fioke sto dimenzija 520x70	1
26	radni stolovi NCC		sto sa cetiri fioke sto dimenzije 680x70	2
53	loker		60x50cm	8
54	klupa		klupa 100x40cm	2

OSNOVA PRIZEMLJA SA
POZICIJOM NAMJEŠTAJA

PROJEKTANT:

A-TIM Studio d.o.o. Podgorica

Glavni inženjer:

mr. Tonja Ratić d.i.a.

Odgovorni inženjer:

mr. Tonja Ratić d.i.a.

Saradnik:

Datum izrade M.P.

INVESTITOR:

Međunarodna organizacija za migraciju IOM

VRSTA tehničke dokumentacije:

Idejno rješenje

Dio tehničke dokumentacije:

Arhitektura

Osnova prizemlja

Datum revizije M.P.

Objekat: Projektat opremanja namještajem Administrativnog objekta MUP-a u Zagorju

Lokacija: Zagorje, Podgorica

Br. priloga:

Br. strane:

1:50

a.tim



REDNI BROJ	SIMBOL	DIMENZIJE cm	KOLICINA
1	radni sto	170x70	2
2	radni sto	250x90	2
3	radni sto	140x65	18
6	kancelarijski plakar	140x50	9
7.1	kancelarijski plakar	100x50	3
12	metalni plakar	90x45	2
18	kancelarijska stolica	/	66
19	fotelja	70x70	8
24	fiokar	42.1x55.2	21
27	kancelarijski plakar	140x40	4
28	radni sto	130x65	6
29	radni sto	130x65	1
30	kuhinja	173cm	1
31	plakar u toaletu	80x40	3
32	loker	56.5x50	12
33	loker	55x50	4
34	loker	53x50	2
35	plakar arhiva	115x50	2
36	plakar arhiva	215x50	1
37	plakar mob.jedinica	245x50	1
38	plakar u toaletu	120x40	1
39	sto za sastanke	930x140	1
40	kancelarijski plakar	138x30	3
54	klupa	klupa 100x40cm	1

OSNOVA I SPRATA SA
POZICIJOM NAMJEŠTAJA

PROJEKTANT:

A-TIM Studio d.o.o. Podgorica

Glavni inženjer:

mr. Tonja Ratić d.i.a.

Odgovorni inženjer:

mr. Tonja Ratić d.i.a.

Soradnik:

Datum izrade M.P.





INVESTITOR:

Međunarodna organizacija za migraciju IOM

Vrsta tehničke dokumentacije:

Idejno rješenje

Dio tehničke dokumentacije:

Arhitektura

Prilog:

Osnova I sprata

Datum revizije M.P.

Lokacija: Zagreb, Podgorica

MUP-u u Zagrebu

Razmjera:

1:50

B: prilog:

B: strane:



REDNI BROJ		SIMBOL	DIMENZIJE cm	KOLICINA
1	radni sto		170x70	1
3	radni sto		140x65	33
6	kancelarijski plakar		140x50	11
10.1	kancelarijski plakar		130x40	2
12	metalni plakar		90x45	2
18	kancelarijska stolica	/	/	50
19	fotelja		70x70	13
20	sofa		120x70	1
24	fiokar		42.1x55.2	32
27	kancelarijski plakar		140x40	5
32	loker		56.5x50	8
41	kancelarijski plakar		137x50	2
42	radni sto		190x90	1
43	kancelarijski plakar		138x40	2
44	kancelarijski plakar-arhiva		195x40	1
45	plakar u toaletu		180x40	1
46	kuhinja		278cm	1
48	plakar arhiva		47x50	2
49	plakar arhiva		113x50	2
50	plakar arhiva		109x50	2
51	plakar u toaletu		87x30	2
52	radni sto		100x100	2
57	loker		70.5x50	4

OSNOVA II SPRATA SA
POZICIJOM NAMJEŠTAJA

PROJEKTANT: A-TIM Studio d.o.o. Podgorica	INVESTITOR: Međunarodna organizacija za migraciju IOM
Objekat: Projektat opremanja namještajem Administrativnog objekta MUP-a u Zagorju	Lokacija: Zagorje, Podgorica
Glavni inženjer: mr. Tonja Ratić d.i.a.	Vrsta tehničke dokumentacije: Idejno rješenje
Odgovorni inženjer: mr. Tonja Ratić d.i.a.	Dio tehničke dokumentacije: Arhitektura
Soradnik:	Prilog: Osnova II sprata
Datum izrade M.P.	Datum revizije M.P.



REDNI BROJ	SIMBOL	DIMENZIJE cm	KOLICINA
1	radni sto	170x70	2
8	kuhinja	300x135	1
12	metalni plakar	90x45	4
18	kancelarijska stolica	/	4
47	plakar	50x50	1
55	šank	120x60	1
56	radni sto	160x70	2

OSNOVA III SPRATA SA
POZICIJOM NAMJEŠTAJA

PROJEKTANT:
A-TIM Studio d.o.o. Podgorica

Objekat: Projektat opremanja namještajem Administrativnog objekta
MUP-a u Zaganju

Glavni inženjer:
mr. Tonja Ratić d.i.a.

Odgovorni inženjer:
mr. Tonja Ratić d.i.a.

Saradnik:

Datum izrade M.P.:

INVESTITOR:
Međunarodna organizacija za migraciju
IOM

VRSTA tehničke dokumentacije:
Idejno rješenje

Dio tehničke dokumentacije:
Arhitektura

Prilog:
Osnova III sprata

Šifra priloza:

Br. strane:

Datum revizije M.P.:


1:50

RADNI STOLOVI




KANCELARIJSKI STOLOVI - NAMJEŠTAJ BR. 1


OSNOVA



IZGLED 1




3D MODEL



Radna ploča je od univera Egger - CASHMERE GRAY U702 PM
Konstrukcija stola - metalni nogari sa veznom gredom + kanal za kablove
Ispod radne ploče je predviđen metalni nosač kućišta
Na radnoj ploči je predviđena rozetna za pravlačenje kablova
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

IZGLED 2



CASHMERE GRAY U702PM EGGER



metalni nogari sa veznom gredom


ROZETNA




NOSAČ KOMPJUTERSKOG KUĆIŠTA

KANCELARIJSKI STOLOVI - NAMJEŠTAJ BR. 2

OSNOVA




IZGLED 1



3D MODEL




IZGLED 2



Radna ploča je od univera Egger - CASHMERE GRAY U702 PM
Konstrukcija stola - metalni nogari sa veznom gredom + kanal za kablove
Na radnoj ploči je predviđena rozetna za pravlačenje kablova
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

ROZETNA
CASHMERE GRAY U702PM EGGER




metalni nogari sa veznom gredom




KANCELARIJSKI STOLOVI - NAMJEŠTAJ BR. 3


OSNOVA



IZGLED 1



3D MODEL



Radna ploča je od univera Egger - CASHMERE GRAY U702 PM
Konstrukcija stola - metalni nogari sa veznom gredom + kanal za kablove
Ispod radne ploče je predviđen metalni nosač kućišta
Na radnoj ploči je predviđena rozetna za provlačenje kablova
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER



metalni nogari sa veznom gredom


ROZETNA




NOSAČ KOMPJUTERSKOG KUĆIŠTA

KANCELARIJSKI STOLOVI - NAMJEŠTAJ BR. 4


OSNOVA



IZGLED 1



3D MODEL



Radna ploča je od univera Egger - CASHMERE GRAY U702 PM
Konstrukcija stola - metalni nogari sa veznom gredom + kanal za kablove
Ispod radne ploče je predviđen metalni nosač kućišta
Na radnoj ploči je predviđena rozetna za provlačenje kablova
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER



metalni nogari sa veznom gredom

ROZETNA




NOSAČ KOMPJUTERSKOG KUĆIŠTA




KANCELARIJSKI STOLOVI - NAMJEŠTAJ BR. 28, 29


OSNOVA




3D MODEL



IZGLED 1



IZGLED 2



Radna ploča je od univerza Egger - CASHMERE GRAY U702 PM
Konstrukcija stola - metalni nogari sa veznom gredom + kanal za kablove
Ispod radne ploče je predviđen metalni nosač kućišta
Na radnoj ploči je predviđena rozetna za provlačenje kablova

CASHMERE GRAY U702PM EGGER



metalni nogari sa veznom gredom


ROZETNA



NOSAČ KOMPJUTERSKOG KUĆIŠTA

KANCELARIJSKI STOLOVI - NAMJEŠTAJ BR. 42


OSNOVA




3D MODEL



IZGLED 1



IZGLED 2



Radna ploča je od univerza Egger - CASHMERE GRAY U702 PM
Konstrukcija stola - metalni nogari sa veznom gredom + kanal za kablove
Na radnoj ploči je predviđena rozetna za provlačenje kablova
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER



metalni nogari sa veznom gredom


ROZETNA






KANCELARIJSKI STOLOVI - NAMJEŠTAJ BR. 52

OSNOVA



IZGLED 1


IZGLED 1



3D MODEL



IZGLED 2



Radna ploča je od univera Egger - CASHMERE GRAY U702 PM
Konstrukcija stola - metalni nogari sa veznom gredom + kanal za kablove
Na radnoj ploči je predviđena rozetna za provlačenje kablova
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER




metalni nogari sa veznom gredom



ROZETNA


KANCELARIJSKI STOLOVI - NAMJEŠTAJ BR. 56

OSNOVA



IZGLED 1


IZGLED 1



3D MODEL



IZGLED 2



Radna ploča je od univera Egger - CASHMERE GRAY U702 PM
Konstrukcija stola - metalni nogari sa veznom gredom + kanal za kablove
Na radnoj ploči je predviđena rozetna za provlačenje kablova
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER



metalni nogari sa veznom gredom



ROZETNA

NCC OPERATIVNA SALA




NCC SALA ZA SASTANKE - BR. PROSTORIJE 22 - NAMJESTAJ BR. 23

OSNOVA




IZGLED 1



IZGLED 2

3D MODEL



Sto je predviđen na čeličnoj potkonstrukciji visoke nosivosti, kompletno obložen compact pločom prema projektovanom dekoru. U sastavu stola nalaze se servisna vrata postavljena zbog lakšeg pristupa kablovima i instalacijama pri održavanju. Ploča ima predviđene prostore i rozetne za prolaz kablova, a u sklopu konstrukcije kutijama su formirani kanali koji omogućavaju uredno i sigurno vođenje instalacija do utičnica.

Potkonstrukcija stola se sastoji iz četiri jednaka dijela. Čelična potkonstrukcija se sastoji od čeličnih kutija sledećih dimenzija, debljinu zida čeličnih kutija uzeti najmanju prema raspoloživosti na tržištu:

8x4cm
4x4cm
6x6cm

Kako bi sakrili čeličnu potkonstrukciju postavlja se maska od MDF-a koja se farba u boji NCS S 4005 Y50R


Sto se sa donje strane zatvara MDF pločom, farbanom u boji NCS S 4005 Y50R, kako bismo sakrili konstrukciju stola. Spoj compact ploče i MDF maske raditi bez vidljivih šarafa, proreza i sl. alternacijama materijala.



nogari




gornja ploča






NCC SALA ZA SASTANKE - BR. PROSTORIJE 22 - NAMJESTAJ BR. 23


OSNOVA - ČELIČNA POTKONSTRUKCIJA STOLA





IZGLED 1



IZGLED 2



3D MODEL





Investitor: Međunarodna organizacija za migracije IOM
Projektant: A TIM STUDIO d.o.o. Podgorica
Naziv projekta: Projekat opremanja namještajem Administrativnog objekta MUP-a u Zagoriču


Odgovorni inženjer: Tonja Ratić

Prilog: NCC sto za sastanke 23

Podgorica, avgust 2025. godine

NCC SALA ZA SASTANKE - BR. PROSTORIJE 22 - NAMJESTAJ BR. 23

KONSTRUKCIJA - ČETIRI ISTA KOMADA




NOGARI - DVA ISTA KOMADA



IZGLED 1

IZGLED 2


IZGLED 2



IZGLED 1



RADNA PLOČA - ČETIRI ISTA KOMADA - COMPACT PLOČA



COMPACT PLOČA APTICO 2208 FANGO

Utičnice i rozetne pozicionirati u dijelu između dvije maske. Otvore za utičnice i električne komponente treba prilagoditi konkretno definisanoj opremi. U slučaju odstupanja u dimenzijama ili tehničkim zahtjevima (npr. dubina, pozicija, montaža), dozvoljeno je prilagoditi otvore u odnosu na projektovane dimenzije, uz uslov da funkcionalnost i vizuelni izgled ne budu narušeni.



Rozetna, crna boja




FLIP S IN DESK POWER MODULE

2 x šuko utičnica
1 x A+C brzi punjač 36W
1 x RJ45 CAT6A
1 x HDMI
2 m napojnog kabla
crna boja



NCC SALA ZA SASTANKE - BR. PROSTORIJE 22 - NAMJESTAJ BR. 23

OSNOVA - MASKA OD MDF-a



PRESJEK MASKE



PRESJEK A-A




PRESJEK B-B






NCC SALA ZA SASTANKE - BR. PROSTORIJE 21 - NAMJESTAJ BR. 25

OSNOVA





IZGLED 1




IZGLED 2

3D MODEL



PRESJEK A-A

KUTIJA 8x4






FIOKA

IZGLED 1

IZGLED 2

MODEL



Radni sto je predviđen na čeličnoj potkonstrukciji visoke nosivosti, kompletno obložen compact pločom prema projektovanom dekoru. Sto je izdignut za 5cm na metalnim podesivim nogorima. U sastavu stola nalaze se fiokari predviđeni za smještaj štampača i A4 papira, kao i servisna vrata postavljena sa unutrašnje strane stola zbog lakšeg pristupa kablovima i instalacijama pri održavanju. Radna ploča ima predviđene prodore i rozetne za prolaz kablova, a u zadnjem dijelu konstrukcije distancerima su formirani kanali koji omogućavaju uredno i sigurno vođenje instalacija do utičnica.








Potkonstrukcija stola se sastoji iz dva jednaka dijela. Čelična potkonstrukcija se sastoji od čeličnih kutija sledećih dimenzija, debljinu zida čeličnih kutija uzeti najmanju prema raspoloživosti na tržištu:
8x4cm
4x3cm
3x3cm

Fioka su od univera EGGER - cashmere grey U702PM sa aluminijском profilnom ručicom. Štampač po kojim mjerama je rprojektovana fioka jeste PRINTER CANON MFP MG2551S
Sve spojeve vidljivih ivica raditi gerovano pod uglom od 45 stepeni, sa obaveznm blagim obaranjem oštirih ivica.



NCC SALA ZA SASTANKE - BR. PROSTORIJE 21 - NAMJESTAJ BR. 25


OSNOVA - ČELIČNA POTKONSTRUKCIJA STOLA






NCC SALA ZA SASTANKE - BR. PROSTORIJE 21 - NAMJESTAJ BR. 26

OSNOVA




IZGLED 1




PREDVIDJEDI VRATA NA PUSH OPEN SA UNUTRASNJE STRANE STOLA

IZGLED 2




METALNI PODESIVI NOGARI


3D MODEL




PRESJEK A-A




FIOKA




IZGLED 1



IZGLED 2



MODEL



COMPACT PLOČA 0746 AP HYGIENIC GREY

COMPACT PLOČA 2206 AP FANGO

CASHMERE GRAY U702PM EGGER

Radni sto je predviđen na čeličnoj potkonstrukciji visoke nosivosti, kompletno obložen compact pločom prema projektovanom dekoru. Sto je izdignut za 5cm na metalnim podesivim nogarima. U sastavu stola nalaze se fiokari predviđeni za smještaj štampača i A4 papira, kao i servisna vrata postavljena sa unutrašnje strane stola zbog lakšeg pristupa kablovima i instalacijama pri održavanju. Radna ploča ima predviđene prodore i rozetne za prolaz kablova, a u zadnjem dijelu konstrukcije distancerima su formirani kanali koji omogućavaju uredno i sigurno vođenje instalacija do utičnica.

Potkonstrukcija stola se sastoji iz dva jednaka dijela. Čelična potkonstrukcija se sastoji od čeličnih kutija sledećih dimenzija, debljinu zida čeličnih kutija uzeti najmanju prema raspoloživosti na tržištu:
8x4cm
4x3cm
3x3cm

Fioke su od univerza EGGER - cashmere grey U702PM sa aluminijskom profilnom ručicom. Štampač po kojim mjerama je projektovana fioka jeste PRINTER CANON MFP MG2551S


Sve spojeve vidljivih ivica raditi gerovano pod uglom od 45 stepeni, sa obaveznim blagim obaranjem oštih ivica.

[illegible]



NCC SALA ZA SASTANKE - BR. PROSTORIJE 21 - NAMJESTAJ BR. 26

3D MODEL



Utičnice i rozetne pozicionirati u dijelu između dvije maske. Otvore za utičnice i električne komponente treba prilagoditi konkretno definisanoj opremi. U slučaju odstupanja u dimenzijama ili tehničkim zahtjevima (npr. dubina, pozicija, montaža), dozvoljeno je prilagoditi otvore u odnosu na projektovane dimenzije, uz uslov da funkcionalnost i vizuelni izgled ne budu narušeni.



Rozetna, crna boja



FLIP S IN DESK POWER MODULE





- 2 x šuko utičnica
- 1 x A+C brzi punjač 36W
- 1 x RJ45 CAT6A
- 1 x HDMI
- 2 m napojnog kabla
crna boja



Rozetna

KONSTRUKCIJA STOLA 1 DIO


KONSTRUKCIJA STOLA 2 DIO




SALA ZA SASTANKE I SPRAT

SALA ZA SASTANKE BR. PROSTORIJE 3 - NAMJESTAJ BR. 39


OSNOVA




IZGLED 1




IZGLED 2




PRESJEK A-A



3D MODEL KONSTRUKCIJE



3D MODEL



Sto je predviđen na šablonoj potkonstrukciji visoke nosivosti, kompletno oblačen compact pločom prema projektovanim detaljima. U sastavu stola nalaze se servisno vrata postavljena zbog lakšeg pristupa kablovima i instalacijama pri održavanju. Ploča ima predviđene prostore i rosetne za prolaz kablova, a u sklopu konstrukcije kutijama su formirani kanali koji omogućavaju uredno i sigurno vođenje instalacija do utičnica.

Potkonstrukcija stola se sastoji iz četiri jednaka dijela. Čelična potkonstrukcija se sastoji od čeličnih kutija sledećih dimenzija, detaljnu zidu čeličnih kutija uzeti najmanju prema raspoloživosti na tržištu:

čudom

Kako bi sakrili čeličnu potkonstrukciju postavlja se maska od MDF-a koja se farba u boji NCS S 4005 Y50R

Sto se sa donje strane zatvara MDF pločom, farbana u boji boji NCS S 4005 Y50R, kako bismo dobili ojačanje stola. Spoj compact ploče i MDF maske radiji bez vidljivih šarža, preorezi i alternacijama materijala.



nogari



gornja ploča



Rošetna, crna boja




FLIP S IN DESK POWER MODULE


- 2 x šuko utičnica
- 1 x A+C brza punjač 36W
- 1 x RJ45 CAT6A
- 1 x HDMI
- 2 m napojnog kabla crna boja

SALA ZA SASTANKE BR. PROSTORIJE 3 - NAMJESTAJ BR. 39


OSNOVA - ČELIČNA POTKONSTRUKCIJA STOLA - radi se iz tri dijela




PRESJEK A-A




PRESJEK B-B



RADNA PLOČA



OSNOVA - MASKA OD MDF-a



PRESJEK MASKE




KOMODE




NAMJEŠTAJ BR. 21


OSNOVA




3D MODEL



IZGLED 1




IZGLED 2




NAMJEŠTAJ BR. 21.1


OSNOVA




3D MODEL



IZGLED 1



IZGLED 2



Korpus komode su od univerza Cashmere U702 PM Egger
Frontovi komode su takođe od univerza Cashmere U702 PM Egger
Metalna ručica crne boje
Komoda sa bravom
Soft close mehanizam - sistem usporenog zatvaranja
Komoda izdignuta za 5cm na metalnim ili pčastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA






NAMJEŠTAJ BR. 21.2


OSNOVA




3D MODEL



IZGLED 1




IZGLED 2




NAMJEŠTAJ BR. 21.3


OSNOVA





3D MODEL



IZGLED 1



IZGLED 2



Korpus komode su od univera Cashmere U702 PM Egger
Frontovi komode su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Komoda sa bravom
Soft close mehanizam - sistem usporenog zatvaranja
Komoda izdignuta za 5cm na metalnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama


CASHMERE GRAY U702PM EGGER




PLAKARI

PLAKARI - NAMJEŠTAJ BR. 27


OSNOVA




IZGLED 1



3D MODEL



IZGLED 2



Korpus plakara su od univerza Cashmere U702 PM Egger
Frontovi plakara su takođe od univerza Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podovima
Poprečni vješaočnik
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45
stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA

POPREČNI VJEŠAONIK



PLAKARI - NAMJEŠTAJ BR. 31

OSNOVA



IZGLED 1




IZGLED 2

3D MODEL




IZGLED 1



Donji dio plakara sa bravom

IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA






PLAKARI - NAMJEŠTAJ BR. 32


OSNOVA





IZGLED 1



3D MODEL



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji i gornji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Gornji loker sa lifterom a donji loker sa vješaonikom
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama


CASHMERE GRAY U702PM EGGER






PLAKARI - NAMJEŠTAJ BR. 33


OSNOVA





3D MODEL



IZGLED 1



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji i gornji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Gornji loker sa lifterom a donji loker sa vješaonikom
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama


CASHMERE GRAY U702PM EGGER






PLAKARI - NAMJEŠTAJ BR. 34


OSNOVA





3D MODEL



IZGLED 1



IZGLED 2




Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji i gornji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Gornji loker sa lifterom a donji loker sa vješaonikom
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama






PLAKARI - NAMJEŠTAJ BR. 35


OSNOVA





3D MODEL



IZGLED 1



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA






PLAKARI - NAMJEŠTAJ BR. 36



OSNOVA




3D MODEL



IZGLED 1



IZGLED 2



Donji dio plakara sa bravom

Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA






PLAKARI - NAMJEŠTAJ BR. 37


OSNOVA



3D MODEL





IZGLED 1



Donji dio plakara sa bravom

IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA






PLAKARI - NAMJEŠTAJ BR. 38


OSNOVA




3D MODEL



IZGLED 1



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER

RUČICA





Investitor: Međunarodna organizacija za migracije IOM
Projektant: A TIM STUDIO d.o.o. Podgorica
Naziv projekta: Projekat opremanja namještajem Administrativnog objekta MUP-a u Zagoriču

Odgovorni inženjer: Tonja Ratić


Prilog: Plakar 40

Podgorica, avgust 2025. godine

PLAKARI - NAMJEŠTAJ BR. 40


OSNOVA

3D MODEL




IZGLED 1

IZGLED 2





IZGLED 1

IZGLED 2



Donji dio plakara sa bravom



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Poprečni vješaoNIK
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER

RUČICA




POPREČNI VJEŠAONIK





PLAKARI - NAMJEŠTAJ BR. 41

OSNOVA




IZGLED 1




IZGLED 2


3D MODEL




IZGLED 1



Donji dio plakara sa bravom



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Poprečni vješaonik
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER

RUČICA



POPREČNI VJEŠAONIK







PLAKARI - NAMJEŠTAJ BR. 43




OSNOVA

3D MODEL



IZGLED 1

IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Poprečni vješaoNIK
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA

POPREČNI VJEŠAONIK




PLAKARI - NAMJEŠTAJ BR. 47


OSNOVA




IZGLED 1



3D MODEL



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA






PLAKARI - NAMJEŠTAJ BR. 48


OSNOVA



IZGLED 1



3D MODEL



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA





PLAKARI - NAMJEŠTAJ BR. 49


OSNOVA




3D MODEL



IZGLED 1



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGGER


RUČICA





PLAKARI - NAMJEŠTAJ BR. 50


OSNOVA





3D MODEL



IZGLED 1



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA





PLAKARI - NAMJEŠTAJ BR. 51

OSNOVA




IZGLED 1




IZGLED 2

3D MODEL




IZGLED 1



Donji dio plakara sa bravom

IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA




LIFTER

PLAKARI - NAMJEŠTAJ BR. 57



OSNOVA




3D MODEL



IZGLED 1



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji i gornji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Gornji loker sa lifterom a donji loker sa vješaonikom
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER




LIFTER




PLAKARI - NAMJEŠTAJ BR. 45


OSNOVA



3D MODEL




IZGLED 1



Donji dio plakara sa bravom

IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA





PLAKARI - NAMJEŠTAJ BR. 5

OSNOVA




IZGLED 1

IZGLED 2


3D MODEL



IZGLED 1




Donji dio plakara sa bravom



Poprečni vješaonik

IZGLED 2



Korpusi plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima na crnim metalnim ili plastičnim podesivim nogarima
Poprečni vješaonik
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER

RUČICA



POPREČNI VJEŠAONIK






PLAKARI - NAMJEŠTAJ BR. 6




OSNOVA

3D MODEL



IZGLED 1

IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Poprečni vješaonik
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA

POPREČNI VJEŠAONIK




PLAKARI - NAMJEŠTAJ BR. 7.1

OSNOVA




IZGLED 1

3D MODEL




IZGLED 1



Donji dio plakara sa bravom

IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi geravano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama


CASHMERE GRAY U702PM EGGER





PLAKARI - NAMJEŠTAJ BR. 7

OSNOVA




IZGLED 1

IZGLED 2

3D MODEL




IZGLED 1



Donji dio plakara sa bravom

IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve plača vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA





PLAKARI - NAMJEŠTAJ BR. 9


OSNOVA





3D MODEL



IZGLED 1



IZGLED 2




Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Centralni otvoreni dio plakara od univera U502 ST9 Misty blue
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Odgovarajući lifter
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama





PLAKARI - NAMJEŠTAJ BR. 10.1

OSNOVA




IZGLED 1

IZGLED 2


3D MODEL




IZGLED 1



Donji dio plakara sa bravom



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Poprečni vješaoNIK
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER

RUČICA



POPREČNI VJEŠAONIK




RUČICA




PLAKARI - NAMJEŠTAJ BR. 13


OSNOVA





3D MODEL



IZGLED 1



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA





PLAKARI - NAMJEŠTAJ BR. 14

OSNOVA



IZGLED 1




IZGLED 2

3D MODEL





IZGLED 1



Donji dio plakara sa bravom

IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takode od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


RUČICA






PLAKARI - NAMJEŠTAJ BR. 15


OSNOVA





3D MODEL



IZGLED 1



IZGLED 2



Korpus plakara su od univera Cashmere U702 PM Egger
Frontovi plakara su takođe od univera Cashmere U702 PM Egger
Metalna ručica crne boje
Donji dio plakara sa bravom i ključem
Soft close mehanizam - sistem usporenog zatvaranja
Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM.EGGER

RUČICA




ŠANK | PULT







NAMJEŠTAJ BR. 16

OSNOVA



3D MODEL



Pult od univera Cashmere U702 PM Egger
Frontovi i radna ploča pulta su takođe od univera Cashmere U702 PM Egger
Okrvir na pultu je od univera kolekcije CLEAF ARES UN45
Prednja strana pulta je obložena PVC letvicama bež boje
Metalna ručica crne boje
Soft close mehanizam - sistem usporenog zatvaranja
Pult izdignut za 5cm na metalnim ili plastičnim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama


CASHMERE GRAY U702PM EGGER

RUČICA





NAMJEŠTAJ BR. 55


OSNOVA




3D MODEL



IZGLED 1



IZGLED 2



Šank od kombinacije boja univera
Frontovi fioke i police su od univera Cashmere U702 PM Egger
Radna ploča i „zidna obloga“ šanka je od univera H305 ST12 EGGER
Okrvir na pultu je od univera kolekcije CLEAF ARES UN45
Prednja strana pulta je obložena PVC letvicama
Fioke i police se otvaraju preko sistema push open
Soft close mehanizam - sistem usporenog zatvaranja
Šank izdignut za 5cm na metalnim ili plastičnim nogarima
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER

RUČICA



H305 ST12 NATURAL
TONSBERG OAK EGGER


KUHINJE





KUHINJA - NAMJEŠTAJ BR. 8

OSNOVA


IZGLED 1




3D MODEL



IZGLED 1



IZGLED 2



Granitna sudopera 41x50cm



Česma DARK ROSAN





Ugradni frižider 60cm
AEG SFB682F1AF



Ugradna mašina za suđe 60cm
Gorenje DW50.1 GV642D65-745176/



Ugradna ploča Electrolux LHR3233CK



Korpusi, leđa i frontovi od kuhinje su od univera Cashmere U702 PM Egger
Radna ploča H305 ST12 EGGER
Otvaranje donjih elemenata preko gola profil, otvaranje fioka push open mehanizam
Soft close mehanizam - sistem usporenog zatvaranja
Gornji frontovi se otvaraju preko prepusta krila
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER


H305 ST12 NATURAL
TONSBERG OAK EGGER

GOLA PROFIL




KUHINJA - NAMJEŠTAJ BR. 11



OSNOVA



IZGLED 1



IZGLED 2



Granitna sudopera 41x50cm



Česma DARK ROSAN



Ugradna mašina za suđe 60cm
Gorenje DW50.1 GV642D65-745176/



Ugradni frižider 60cm
AEG SFB682F1AF



Korpusi i frontovi od univera Cashmere U702 PM
Egger
Radna ploča H305 ST12 EGGER
Otvaranje donjih elemenata preko gola profil
Soft close mehanizam - sistem usporenog zatvaranja
Gornji frontovi se otvaraju preko prepusta knjla
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45
stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER

H305 ST12 NATURAL
TONSBERG OAK EGGER


GOLA PROFIL

Ugradna ploča Electrolux LHR3233CK







KUHINJA - NAMJEŠTAJ BR. 30

OSNOVA



IZGLED 1

IZGLED 2



Granitna sudopera 41x50cm



Česma DARK ROSAN



Ugradna mašina za suđe 60cm
Gorenje DW50.1 GV642D65-745176/



Ugradni frižider 60cm
AEG SFB682F1AF



Korpusi i frontovi od kuhinje su od univerza Cashmere U702 PM
Egger
Radna ploča H305 ST12 EGGER
Otvaranje donjih elemenata preko gola profil
Soft close mehanizam - sistem usporenog zatvaranja
Garnji frontovi se otvaraju preko prepusta krila
Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45
stepeni, obavezno sa prethodno kantovanim ivicama

CASHMERE GRAY U702PM EGGER

H305 ST12 NATURAL
TONSBERG OAK EGGER


GOLA PROFIL

Ugradna ploča Electrolux LHR3233CK




KUHINJA - NAMJEŠTAJ BR. 46



OSNOVA



IZGLED 1



IZGLED 2



Granitna sudopera 41x50cm




Česma DARK ROSAN



Ugradna mašina za suđe 60cm
Gorenje DW50.1 GV642D65-745176/



Ugradni frižider 60cm
AEG SFB682F1AF



Ugradna ploča Gorenje
BR6AF-T0-CT41SC-734819/

Korpusi i frontovi od kuhinje su od univerza
Cashmere U702 PM Egger
Radna ploča H305 ST12 EGGER
Otvaranje donjih elemenata preko gola profil
Prva fioka se otvara preko gola profil a ostale dvije
push open
Soft close mehanizam - sistem usporenog
zatvaranja
Gornji frontovi se otvaraju preko prepusta krila
Sve spojeve ploča vidljivih ivica raditi gerovano pod
uglom od 45 stepeni, obavezno sa prethodno
kantovanim ivicama

CASHMERE GRAY U702PM EGGER

H305 ST12 NATURAL
TONSBERG OAK EGGER

GOLA PROFIL

PREDMJER I PREDRAČUN RADOVA

Predmjer i predračun radova

R.B.	Opis	J.M.	KOLIČINA	JEDINIČNA CIJENA SA PDV-om	UKUPNA CIJENA SA PDV-om
------	------	------	----------	----------------------------	-------------------------

1 RADNI STOLOVI

Nabavka, isporuka i montaža radnih stolova sledećih ili sličnih karakteristika. Ukupno za rad i materijal:

Radna ploča od univera Egger - koda Cashmere gray U702 PM
Konstrukcija stola - metalni nogari sa veznom gredom + kanal za kablove
Na radnoj površini predviđena rozetna za provlačenje kablova

Broj iz projekta Ispod radne ploče je predviđen metalni nosač kućišta, za tačan prikaz modela sa/bez nosača za kućište, obavezno pogledati grafičke priloge i tehničke crteže iz projekta.

1	170x70 ima nosač za kućište	kom	6	377,00 €	2.262,00 €
2	250x90 nema nosač za kućište	kom	3	735,00 €	2.205,00 €
3	140x65 ima nosač za kućište	kom	60	341,00 €	20.460,00 €
4	130x70 ima nosač za kućište	kom	4	341,00 €	1.364,00 €
28	130x65 ima nosač za kućište	kom	6	341,00 €	2.046,00 €
29	130x65 ima nosač za kućište	kom	1	341,00 €	341,00 €
42	190x90 nema nosač za kućište	kom	1	435,00 €	435,00 €
52	100x100 nema nosač za kućište	kom	2	341,00 €	682,00 €
56	170x70 nema nosač za kućište	kom	2	377,00 €	754,00 €

1.1 NCC operativna sala

Nabavka, isporuka i montaža radnih stolova sledećih ili sličnih karakteristika. Ukupno za rad i materijal:

Radni sto je predviđen na čeličnoj potkonstrukciji visoke nosivosti, kompletno obložen compact pločom prema projektovanom dekoru. Sto je izdignut za 5cm na metalnim podesivim nogarima. U sastavu stola nalaze se fiokari predviđeni za smeštaj štampača i A4 papira, kao i servisna vrata postavljena sa unutrašnje strane stola zbog lakšeg pristupa kablovima i instalacijama pri održavanju. Radna ploča ima predviđene prodore i rozetne za prolaz kablova, a u zadnjem dijelu konstrukcije distancerima su formirani kanali koji omogućavaju uredno i sigurno vođenje instalacija do utičnica.

Potkonstrukcija stola se sastoji iz dva jednaka dijela i spaja se na licu mjesta. Čelična potkonstrukcija se sastoji od čeličnih kutija sledećih dimenzija, debljinu zida čeličnih kutija uzeti najmanju prema raspoloživosti na tržištu:

8x4cm
4x3cm
3x3cm

Fioke su od univera EGGER - cashmere grey U702PM sa aluminijskom profilnom ručicom. Sve spojeve vidljivih ivica raditi gerovano pod uglom od 45 stepeni, sa obavezanim blagim obaranjem oštarih ivica.

Utičnice i rozetne pozicionirati u dijelu između dvije maske. Otvore za utičnice i električne komponente treba prilagoditi konkretno definisanoj opremi. U slučaju odstupanja u dimenzijama ili tehničkim zahtjevima (npr. dubina, pozicija, montaža), dozvoljeno je prilagoditi otvore u odnosu na projektovane dimenzije, uz uslov da funkcionalnost i vizuelni izgled ne budu narušeni.

25	520x100cm	kom	1	16.600,00 €	16.600,00 €
	opciono fioke	kom	3	250,00 €	750,00 €
	opciono nosač za kućište	kom	3	170,00 €	510,00 €
	FLIP-S IN desk power module sales 2 x šuko utičnica 1 x A+C brzi punjač 36W 1 x RJ45 CAT6A 1 x HDMI 2 m napojnog kabla crna boja	kom	4	200,00 €	800,00 €
	Jednostrana rozetna sa kutijom, crne boje	kom	3	50,00 €	150,00 €
	Rozetna za provlačenje kablova, crne boje	kom	3	5,00 €	15,00 €
26	680x100	kom	2	22.125,00 €	44.250,00 €
	opciono fioke	kom	8	250,00 €	2.000,00 €

opciono nosač za kućište	kom	8	170,00 €	1.360,00 €
FLIP-S IN desk power module sales 2 x šuko utičnica 1 x A+C brzi punjač 36W 1 x RJ45 CAT6A 1 x HDMI 2 m napojnog kabla crna boja 	kom	10	200,00 €	2.000,00 €
Jednostrana rozetna sa kutijom, crne boje 	kom	8	50,00 €	400,00 €
Rozetna za provlačenje kablova, crne boje 	kom	8	5,00 €	40,00 €

1.2 NCC sala za sastanke

Nabavka, isporuka i montaža stola za sastanke sledećih ili sličnih karakteristika. Ukupno za rad i materijal:

Broj iz projekta	Sto je predviđen na čeličnoj potkonstrukciji visoke nosivosti, kompletno obložen compact pločom prema projektovanom dekoru. U sastavu stola nalaze se servisna vrata postavljena zbog lakšeg pristupa kablovima i instalacijama pri održavanju. Ploča ima predviđene prodore i rozetne za prolaz kablova, a u sklopu konstrukcije kutijama su formirani kanali koji omogućavaju uredno i sigurno vođenje instalacija do utičnica. Potkonstrukcija stola se sastoji iz četiri jednaka dijela i spaja se na licu mjesta. Čelična potkonstrukcija se sastoji od čeličnih kutija sledećih dimenzija, debljinu zida čeličnih kutija uzeti najmanju prema raspoloživosti na tržištu: 8x4cm 4x4cm 6x6cm Kako bi sakrili čeličnu potkonstrukciju postavlja se maska od MDF-a koja se farba u boji NCS S 4005 Y50R. Sto se sa donje strane zatvara MDF pločom, farbana u boji NCS S 4005 Y50R, kako bismo sakrili konstrukciju stola. Spoj compact ploče i MDF maske raditi bez vidljivih šarafa, proreza i sl. alternacijama materijala. Utičnice i rozetne pozicionirati u dijelu između dvije maske. Otvore za utičnice i električne komponente treba prilagoditi konkretno definisanoj opremi. U slučaju odstupanja u dimenzijama ili tehničkim zahtjevima (npr. dubina, pozicija, montaža), dozvoljeno je prilagoditi otvore u odnosu na projektovane dimenzije, uz uslov da funkcionalnost i vizuelni izgled ne budu narušeni.
------------------	--

23	570x250	kom	1	25.937,00 €	25.937,00 €
	FLIP-S IN desk power module sales 2 x šuko utičnica 1 x A+C brzi punjač 36W 1 x RJ45 CAT6A 1 x HDMI 2 m napojnog kabla crna boja 	kom	8	200,00 €	1.600,00 €
	Rozetna za provlačenje kablova, crne boje 	kom	8	5,00 €	40,00 €

1.3 Sala za sastanke I sprat

Nabavka, isporuka i montaža stola za sastanke sledećih ili sličnih karakteristika. Ukupno za rad i materijal:

Broj iz projekta	Sto je predviđen na čeličnoj potkonstrukciji visoke nosivosti, kompletno obložen compact pločom prema projektovanom dekoru. U sastavu stola nalaze se servisna vrata postavljena zbog lakšeg pristupa kablovima i instalacijama pri održavanju. Ploča ima predviđene prodore i rozetne za prolaz kablova, a u sklopu konstrukcije kutijama su formirani kanali koji omogućavaju uredno i sigurno vođenje instalacija do utičnica. Potkonstrukcija stola se sastoji iz četiri jednaka dijela i spaja se na licu mjesta. Čelična potkonstrukcija se sastoji od čeličnih kutija sledećih dimenzija, debljinu zida čeličnih kutija uzeti najmanju prema raspoloživosti na tržištu: 6x6cm Kako bi sakrili čeličnu potkonstrukciju postavlja se maska od MDF-a koja se farba u boji NCS S 4005 Y50R. Sto se sa donje strane zatvara MDF pločom, farbana u boji boji NCS S 4005 Y50R, kako bismo dobili ojačanje stola. Spoj compact ploče i MDF maske raditi bez vidljivih šarafa, prereza i sl. alternacijama materijala. Utičnice i rozetne pozicionirati u dijelu između dvije maske. Otvore za utičnice i električne komponente treba prilagoditi konkretno definisanoj opremi. U slučaju odstupanja u dimenzijama ili tehničkim zahtjevima (npr. dubina, pozicija, montaža), dozvoljeno je prilagoditi otvore u odnosu na projektovane dimenzije, uz uslov da funkcionalnost i vizuelni izgled ne budu narušeni.
------------------	--

39	930x140	kom	1	23.600,00 €	23.600,00 €
	FLIP-S IN desk power module sales 2 x šuko utičnica 1 x A+C brzi punjač 36W 1 x RJ45 CAT6A 1 x HDMI 2 m napojnog kabla crna boja 	kom	6	200,00 €	1.200,00 €
	Rozetna za provlačenje kablova, crne boje 	kom	6	5,00 €	30,00 €

2 PLAKARI

Nabavka, isporuka i montaža plakara sledećih ili sličnih karakteristika. Ukupno za rad i materijal:

Broj iz projekta	Korpusi plakara su od univera Cashmere U702 PM Egger Frontovi plakara su takođe od univera Cashmere U702 PM Egger Metalna ručica crne boje Donji dio plakara sa bravom i ključem Soft close mehanizam - sistem usporenog zatvaranja Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima na crnim metalnim ili plastičnim podesivim nogarima Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama				
7	100x50	kom	1	1.270,00 €	1.270,00 €
7.1	100x50	kom	3	1.270,00 €	3.810,00 €
13	110x45	kom	1	1.210,00 €	1.210,00 €
14	80x40	kom	1	800,00 €	800,00 €
15	200x40	kom	1	1.950,00 €	1.950,00 €
31	80x40	kom	3	800,00 €	2.400,00 €
35	115x50	kom	2	1.267,00 €	2.534,00 €
36	215x50	kom	1	2.365,00 €	2.365,00 €
37	245x50	kom	1	2.715,00 €	2.715,00 €
38	120x40	kom	1	1.165,00 €	1.165,00 €
44	195x40	kom	1	2.530,00 €	2.530,00 €
45	180x40	kom	1	2.490,00 €	2.490,00 €
47	50x50	kom	1	560,00 €	560,00 €
48	47x50	kom	2	540,00 €	1.080,00 €
49	113x50	kom	2	1.267,00 €	2.534,00 €
50	109x50	kom	2	1.210,00 €	2.420,00 €
51	87x30	kom	2	850,00 €	1.700,00 €
53	70x40	kom	8	695,00 €	5.560,00 €

Nabavka, isporuka i montaža plakara sledećih ili sličnih karakteristika. Ukupno za rad i materijal:

Broj iz projekta	Korpusi plakara su od univera Cashmere U702 PM Egger Frontovi plakara su takođe od univera Cashmere U702 PM Egger Metalna ručica crne boje Donji dio plakara sa bravom i ključem Soft close mehanizam - sistem usporenog zatvaranja Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima na crnim metalnim ili plastičnim podesivim nogarima Poprečni vješaonik Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama				
5	145x40	kom	1	1.417,00 €	1.417,00 €

6	140x50	kom	22	1.531,00 €	33.682,00 €
10,1	130x40	kom	2	5.060,00 €	10.120,00 €
27	140x40	kom	9	1.417,00 €	12.753,00 €
40	138x30	kom	3	1.350,00 €	4.050,00 €
41	137x50	kom	2	1.531,00 €	3.062,00 €
43	138x40	kom	2	1.417,00 €	2.834,00 €

Nabavka, isporuka i montaža plakara sledećih ili sličnih karakteristika. Ukupno za rad i materijal:

Broj iz projekta	Korpus plakara su od univera Cashmere U702 PM Egger Frontovi plakara su takođe od univera Cashmere U702 PM Egger Metalna ručica crne boje Donji i gornji dio plakara sa bravom i ključem Unutrašnja fioka sa bravom i ključem Soft close mehanizam - sistem usporenog zatvaranja Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima Vješaočnik i lifter Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama				
32	56.5x50	kom	20	630,00 €	12.600,00 €
33	55x50	kom	4	615,00 €	2.460,00 €
34	53x50	kom	2	600,00 €	1.200,00 €
57	70.50x50	kom	4	850,00 €	3.400,00 €

Nabavka, isporuka i montaža plakara sledećih ili sličnih karakteristika. Ukupno za rad i materijal:

Broj iz projekta	Korpus plakara su od univera Cashmere U702 PM Egger Frontovi plakara su takođe od univera Cashmere U702 PM Egger Centralni otvoreni dio plakara od univera U502 ST9 Misty blue Metalna ručica crne boje Donji dio plakara sa bravom i ključem Soft close mehanizam - sistem usporenog zatvaranja Plakar izdignut za 5cm na crnim ili plastičnim podesivim nogarima Odgovarajući lifter Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama				
9	100x40	kom	1	1.167,00 €	1.167,00 €
10	130x40	kom	4	1.265,00 €	5.060,00 €

3 KOMODE

Nabavka, isporuka i montaža komoda sledećih ili sličnih karakteristika. Ukupno za rad i materijal:

Broj iz projekta	Korpus komode su od univera Cashmere U702 PM Egger Frontovi komode su takođe od univera Cashmere U702 PM Egger Metalna ručica crne boje Komoda sa bravom Soft close mehanizam - sistem usporenog zatvaranja Komoda izdignuta za 5cm na metalnim ili pčastičnim podesivim nogarima Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama				
21	125x40	kom	7	340,00 €	2.380,00 €
21,1	130x40	kom	2	355,00 €	710,00 €
21,2	107x40	kom	3	440,00 €	1.320,00 €
21,3	125.5x40	kom	4	340,00 €	1.360,00 €

4 KUHINJA

Nabavka, isporuka i montaža kuhinja sledećih ili sličnih karakteristika. Ukupno za rad i materijal:
** Izradu kuhinje raditi nakon što se odabere bijela tehnika.*

Broj iz projekta	Korpusi i frontovi od kuhinje su od univera Cashmere U702 PM Egger Radna ploča H305 ST12 EGGGER Otvaranje donjih elemenata preko gola profil, tamo gdje su fiokse prva se otvara preko gola profila, ostale dvije preko push open sistema Soft close mehanizam - sistem usporenog zatvaranja Gornji frontovi se otvaraju preko prepusta krila Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama				
8	Kuhinja na L, cijena uključuje sudoperu, česmu, ugradnu mašinu za suđe, dva ugradna frižidera i ploču	kom	1	4.500,00 €	4.500,00 €
11	140cm, cijena uključuje sudoperu, česmu, ugradni frižider i plocu	kom	2	2.180,00 €	4.360,00 €



30	176cm, cijena uključuje sudoperu, česmu, ugradni frizider i plocu	kom	1	2.700,00 €	2.700,00 €
46	280cm, cijena uključuje sudoperu, česmu, ugradni frizider, ugradnu masinu za sudje i plocu	kom	1	3.565,00 €	3.565,00 €

5 ŠANK

Nabavka, isporuka i montaža šanka sledećih ili sličnih karakteristika. Ukupno za rad i materijal:

Broj iz projekta	Šank od kombinacije boja univera Frontovi fioka i polica su od univera Cashmere U702 PM Egger Radna ploča i „zidna obloga“ šanka je od univera H305 ST12 EGGER Okvir na pultu je od univera kolekcije CLEAF ARES UN45 Prednja strana pulta je obložena PVC letvicama Fioke i police se otvaraju preko sistema push open Soft close mehanizam - sistem usporenog zatvaranja Šank izdignut za 5cm na metalnim ili plastičnim nogarima Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama
------------------	---

55	170x70	kom	1	1.670,00 €	1.670,00 €
----	--------	-----	---	------------	------------

6 PULT

Nabavka, isporuka i montaža pulta sledećih ili sličnih karakteristika. Ukupno za rad i materijal:

Broj iz projekta	Pult od univera Cashmere U702 PM Egger Frontovi i radna ploča pulta su takođe od univera Cashmere U702 PM Egger Okvir na pultu je od univera kolekcije CLEAF ARES UN45 Prednja strana pulta je obložena PVC letvicama bež boje Metalna ručica crne boje Soft close mehanizam - sistem usporenog zatvaranja Pult izdignut za 5cm na metalnim ili plastičnim nogarima Sve spojeve ploča vidljivih ivica raditi gerovano pod uglom od 45 stepeni, obavezno sa prethodno kantovanim ivicama
------------------	--

16	170x70	kom	1	1.560,00 €	1.560,00 €
----	--------	-----	---	------------	------------

7 Metalni ormari, stolica, fotelja, sofa, fiokar, klupa

Broj iz projekta 12	Nabavka, isporuka i montaža samostojećih ormara sledećih ili sličnih karakteristika, modularna konstrukcija od čeličnog lima debljine 0,8 mm (8/10). Bočne stranice sa zaobljenim vertikalnim rubovima (radijus 2 mm) u skladu s propisima o sigurnosti. Vrata od prešanog čeličnog lima, dvokrilna na čeličnim šarkama, otvaranje 110°, brava (gore i dolje) s integrisanom ručkom i sklopivim ključem (duplikat uključen). Metalnih ormara dimenzija 100x45x85cm + 100x45x200cm. Prije poručivanja uzeti mjere na licu mjesta jer su ovo fiksne dimenzije metalnih ormara.    L. 100 x P. 45 x H. 200	kom	9	1.331,00 €	11.979,00 €
------------------------	--	-----	---	------------	-------------

Broj iz projekta 17	Nabavka i isporuka radnih stolica HermanMiller Sayl ili ekvivalent sa syncro mehanizmom i visinski podešivim rukonaslonima. Podešavanje visine sjedišta gas lift mehanizmom sa amortizerom.-Stolica posjeduje limitir, kao i slajd sistem za podešavanje dubine sedišta. Naslon podržan strukturom u obliku slova "Y" sa različitim gustinom mreže od elastomera kako bi se postigla udobnost. Nagib naslona ima raspon do 130 stepeni u odnosu na sedište. Kontrola tenzijenaslona prema težini korisnika. Stolica ima atestiranu nosivost na 160 Kg. Garancijana mehanizam stolice-12 godina. Pvc baza, točkići za itison, naslon Berry Blue 3M, tapacir Phoenix-Havana 	32	1.331,00 €	42.592,00 €
------------------------	--	----	------------	-------------

HermanMiller Sayl radne stolice ispunjavaju sledece vrste standarda i ima sledece sertifikate:

BS EN 1335-1:2020 –Office furniture -Office work chair –Dimensions -Determination of dimensions

BS EN 1335-2:2018 –Office furniture -Office work chair -Safety Requirements

BS EN ISO 9241-5:2024 –Ergonomic requirements for office work with visual display terminals (VDTs) –Part 5:

Workstation layout and postural requirements
FIRA Ergonomic Excellence Award

BS 5459-2:2000+A2:2008 –Specification for performance requirements and tests for office furniture. Office pedestal seating for use by persons weighing up to 150 kilos and for use up to 24 hours a day, including type-approval tests for individual components.

Geprüfte Sicherheit ("Tested Safety") –German Safety Mark

Decreto Legislativo 9 aprile 2008, n. 81 –Italian safety at work regulations

BS EN 16139:2013 Level 1 -Furniture -Strength, durability and safety -Requirements for non-domestic seating

Broj iz projekta 18	Nabavka i isporuka ergonomskih radnih stolica sledećih ili sličnih karakteristika, sa sjedištem i naslonom presvučenim izdržljivim platnom. Konstrukcija stabilna, namijenjena za svakodnevnu upotrebu u kancelarijskom okruženju. Nosivost: minimalno 120 kg Sjedište i naslon: tapacirani platnom, otporno na habanje Mehanizam za podešavanje visine sjedišta Mogućnost zakretanja (rotirajuća baza) Osnovna baza sa točkićima za lako pomjeranje Po potrebi: mogućnost podešavanja nagiba i naslona (ovisno o modelu)	kom	135	300,00 €	40.500,00 €
------------------------	---	-----	-----	----------	-------------

Broj iz projekta 19	Nabavka, isporuka i montaža fotelje sledećih ili sličnih karakteristika, sa crnim nogarima, Otpornost na habanje: 100 000 ciklusa, dimenzija 70x70cm. 	kom	25	200,00 €	5.000,00 €
------------------------	--	-----	----	----------	------------

Broj iz projekta 20	Nabavka, isporuka i montaža sofe sledećih ili sličnih karakteristika, sa crnim nogarima, Otpornost na habanje: 100 000 ciklusa, dimenzija 120x70cm. 	kom	1	305,00 €	305,00 €
------------------------	--	-----	---	----------	----------

Broj iz projekta 22	Nabavka, isporuka i montaža stolice za pult sledećih ili sličnih karakteristika, sa crnim nogarima, presvučena izdržljivim platnom, Konstrukcija stabilna, namijenjena za svakodnevnu upotrebu.	kom	1	450,00 €	450,00 €
------------------------	---	-----	---	----------	----------

Broj iz projekta 24	Nabavka, isporuka i montaža kancelarijskih fiokara sledećih ili sličnih karakteristika, dimenzija 42,1x55,2x57,3cm, bijele boje sa točkicama   L.42,1 x p.55,2 x H.57,3	kom	67	320,00 €	21.440,00 €
------------------------	--	-----	----	----------	-------------

Broj iz projekta 54	Nabavka, isporuka i montaža klupe sledećih ili sličnih karakteristika, dimenzija 100x40cm. 	kom	3	200,00 €	600,00 €
------------------------	---	-----	---	----------	----------

Napomene:

U cijenu nije uključeno povezivanje sudopere i mašine za suđe na VIK.
U cijenu nije uključena količina za višak radnih stolica, fotelja i sofa.

Ukupno sa pdv-om

431.720,00 €