

Izmjena postupka

OSNOVNI PODACI

Opis predmeta javne nabavke:

Nabavka po tehničkoj specifikaciji i nadogradnja sistema video nadzora na Gradskim bazenima

Vrsta predmeta:

Robe

Vrsta postupka:

Jednostavna nabavka

PODACI O NARUČIOCU

Naziv:

SPORTSKI OBJEKTI PODGORICA DOO

PIB:

02789507

Uslovi prije izmjena

Opis	Tip uslova
Izjava - Obrazac 2	Obavezni uslovi
Mjesto izvršenja ugovora je: Gradski bazeni SC "Morača" Podgorica	Mjesto izvršenja ugovora
Garantni rok: 24 mjeseca.	Garantni rok
Prilikom primopredaje robe i radova- garantni listovi	
Na žiro-račun ponuđača, u roku od 15 dana od dana dostavljanja fakture nakon primopredaje ugovorene robe i radova	Način plaćanja
Rok isporuke robe: 30 dana od dana zaključivanja ugovora.	Rok izvršenja ugovora
. U postupku nabavke može da učestvuje samo ponuđač koji: je upisan u registar kod organa nadležnog za registraciju privrednih subjekata; - je uredno izvršio sve obaveze po osnovu poreza i doprinosa u skladu sa zakonom, odnosno propisima države u kojoj ima sjedište; - da on odnosno njegov zakonski zastupnik nije pravosnažno osuđivan za neko od krivičnih djela organizovanog kriminala sa elementima korupcije, pranja novca i prevare;	Obavezni uslovi
DOKAZ - priložiti Izjavu - Obrazac 2	
Deklaracija proizvođača za tražene stavke - dostaviti	Obavezni uslovi

Uslovi nakon izmjena

Opis	Tip uslova
Deklaracija proizvođača za tražene stavke - dostaviti	Obavezni uslovi
. U postupku nabavke može da učestvuje samo ponuđač koji je upisan u registar kod organa nadležnog za registraciju privrednih subjekata; - je uredno izvršio sve obaveze po osnovu poreza i doprinosa u skladu sa zakonom, odnosno propisima države u kojoj ima sjedište; - da on odnosno njegov zakonski zastupnik nije pravosnažno osuđivan za neko od krivičnih djela organizovanog kriminala sa elementima korupcije, pranja novca i prevare; DOKAZ - priložiti Izjavu - Obrazac 2	Obavezni uslovi
Rok isporuke robe: 30 dana od dana zaključivanja ugovora.	Rok izvršenja ugovora
Na žiro-račun ponuđača, u roku od 15 dana od dana dostavljanja fakture nakon primopredaje ugovorene robe i radova	Način plaćanja
Garantni rok: 24 mjeseca. Prilikom primopredaje robe i radova- garantni listovi	Garantni rok
Mjesto izvršenja ugovora je: Gradski bazeni SC "Morača" Podgorica	Mjesto izvršenja ugovora
Izjava - Obrazac 2	Obavezni uslovi
- Potrebno je dostaviti dozvolu za ponuđača za vršenje poslova tehničke zaštite izdatu od Uprave policije shodno Zakonu o zaštiti lica i imovine („Službeni list Crne Gore, br.1/2014; 43/2018“).	Uslovi za obavljanje djelatnosti

Kriterijumi prije izmjena

Opis	Očekivani odgovor ponuđača	Metod bodovanja
------	----------------------------	-----------------

Kriterijumi nakon izmjena

Opis	Očekivani odgovor ponuđača	Metod bodovanja
------	----------------------------	-----------------

Tehnička specifikacija prije izmjena

Procijenjena vrijednost bez PDV	Redni broj predmeta nabavke	Opis predmeta nabavke	Bitne karakteristike predmeta nabavke	Količina	Jedinica mjere
4132.00	1	Snimač (DVR/NVR)	4K P2P mrežni video snimač za 32 IP kamere, H.264/H.265 kompresija, mogućnost automatskog preuzimanja video zapisa sa SD kartice kamere u slučaju prekida mrežne veze (ANR funkcija) 320M bandwidth snimanje rezolucija do 12MP, 1U Case, H.265/H.264/MJPEG/MPEG4 codec decoding, 32ch Video in, Audio in/out, 16 Alarm in/6 Alarm out, 1 VGA/1 HDMI (3840x2160), 1 RJ45(1000M), 2 USB, dvosmjerna audio komunikacija, 4 SATA porta, up to 32TB, RS232, P2P, IPC UPnP NAPOMENA: Navesti naziv proizvođača i dostaviti deklaraciju proizvođača	1.00	KOM
	2	Switch 24 port	24-Port FE PoE+ 1-Port Gigabit Combo PoE Switch, Compliant IEEE 802.3, IEEE 802.3u, IEEE802.3ab, IEEE802.3x standards, Supports IEEE802.3af, IEEE802.3at, Hi-PoE standards, Supports normal working mode, port isolation (VLAN) mode, monitoring mode, network extend mode, Supports Store-and-Forward, 24*10/100Mbps ports, 1*Gigabit Combo port, support port auto flipping (Auto MDI / MDIX), Port 1-2 support the maximum power of 60W, PoE output total power up to 190W, Supports IEEE802.3x flow control for Full-duplex Mode and backpressure for Half-duplex Mode, 4K entry MAC address table with auto-learning and auto-aging, LED indicators for monitoring power, Link and activity NAPOMENA: Navesti naziv proizvođača	1.00	kom

4132.00	3	Kamera	Dome dan/noc mrežna kamera u IK10 kucištu, WDR(120dB), 3DNR, 4 megapiksela, 1/3" CMOS cip sa progresivnim skeniranjem H.265+ / H.265 / H.264+ / H.264 kompresija, maksimalna rezolucija 20fps@4Mp(2560×1440), 25/30fps@3Mp(2304x1296), ICR filter, automatska kontrola bijele boje, automatska kontrola pojačanja, 3D redukcija šuma. Fiskni objektiv 2.8 mm, minimalno osvetljenje 0 luksa, maksimalan domet IC dioda 30 metara, ONVIF podrška, alarm in/out, audio in/ out, 12VDC/PoE napajanje, IP67. Micro SD kartica slot do 128GB. Smart funkcije. Odgovarajuca dozna i zidni nosac.	10.00	kom
	4	Računar, tastatura i miš	Procesor: Intel® Core™ i3 9100F(3.6GHz), Memorija:8GB DDR4, 2666 MHz, Hard DD: 240GB SSD + HDD 1TB/7200Rpms, Grafička kartica :NVIDIA GTX 1650 4GB DDR5 ili slična, Mreža: LAN 10/100/1000 Ethernet LAN, Kućište sa napajanjem: 600W,USB tastatura, USB miš	1.00	kom
	5	Monitor	Dijagonala ekrana 27", Maksimalna rezolucija : 1920x1080, Osvetljenje: 250cd/m2, Kontrast: 1000:1/20.000.000:1, Vrijeme odziva: 7ms, Ugao vidljivosti: 178° vertical / 178°, Povezivanje:Audio Out, D-Sub, HDMI,RGB	2.00	kom
	6	HDD 6 TB	Veličina :3.5 inča, Kapacitet: 6TB, minimalni RPMS: 5400 rpm, Interfejs: SATA III, Protok: 6 Gbps (600 MB/s), Keš memorija: 64MB ,Broj obrtaja po minuti: IntelliPower (Promenljiv broj obrtaja)	2.00	kom
	7	POTROŠNI MATERIJAL	Konektori, kablovi,SATA III kablovi itd	1.00	PAUŠAL
	8	instalacija, povezivanje na postojeći system video nadzora i puštanje u rad i Korisničko uputstvo		1.00	paušal

Tehnička specifikacija nakon izmjena

Procijenjena vrijednost bez PDV	Redni broj predmeta nabavke	Opis predmeta nabavke	Bitne karakteristike predmeta nabavke	Količina	Jedinica mjere
4132.00	1	Snimač (DVR/NVR)	4K P2P mrežni video snimač za 32 IP kamere, H.264/H.265 kompresija, mogućnost automatskog preuzimanja video zapisa sa SD kartice kamere u slučaju prekida mrežne veze (ANR funkcija) 320M bandwidth snimanje rezolucija do 12MP, 1U Case, H.265/H.264/MJPEG/MPEG4 codec decoding, 32ch Video in, Audio in/out, 16 Alarm in/6 Alarm out, 1 VGA/1 HDMI (3840x2160), 1 RJ45(1000M), 2 USB, dvosmjerna audio komunikacija, 4 SATA porta, up to 32TB, RS232, P2P, IPC UPnP NAPOMENA: Navesti naziv proizvođača i dostaviti deklaraciju proizvođača	1.00	KOM
	2	Switch 24 port	24-Port FE PoE+ 1-Port Gigabit Combo PoE Switch, Compliant IEEE 802.3, IEEE 802.3u, IEEE802.3ab, IEEE802.3x standards, Supports IEEE802.3af, IEEE802.3at, Hi-PoE standards, Supports normal working mode, port isolation (VLAN) mode, monitoring mode, network extend mode, Supports Store-and-Forward, 24*10/100Mbps ports, 1*Gigabit Combo port, support port auto flipping (Auto MDI / MDIX), Port 1-2 support the maximum power of 60W, PoE output total power up to 190W, Supports IEEE802.3x flow control for Full-duplex Mode and backpressure for Half-duplex Mode, 4K entry MAC address table with auto-learning and auto-aging, LED indicators for monitoring power, Link and activity NAPOMENA: Navesti naziv proizvođača	1.00	kom

4132.00	3	Kamera	Dome dan/noc mrežna kamera u IK10 kucištu, WDR(120dB), 3DNR, 4 megapiksela, 1/3" CMOS cip sa progresivnim skeniranjem H.265+ / H.265 / H.264+ / H.264 kompresija, maksimalna rezolucija 20fps@4Mp(2560×1440), 25/30fps@3Mp(2304x1296), ICR filter, automatska kontrola bijele boje, automatska kontrola pojačanja, 3D redukcija šuma. Fiskni objektiv 2.8 mm, minimalno osvetljenje 0 luksa, maksimalan domet IC dioda 30 metara, ONVIF podrška, alarm in/out, audio in/ out, 12VDC/PoE napajanje, IP67. Micro SD kartica slot do 128GB. Smart funkcije. Odgovarajuća dozna i zidni nosač.	10.00	kom
			NAPOMENA: Navesti naziv proizvođača i dostaviti deklaraciju		
	4	Računar, tastatura i miš	Procesor: Intel® Core™ i3 9100F(3.6GHz), Memorija:8GB DDR4, 2666 MHz, Hard DD: 240GB SSD + HDD 1TB/7200Rpms, Grafička kartica :NVIDIA GTX 1650 4GB DDR5 ili slična, Mreža: LAN 10/100/1000 Ethernet LAN, Kućište sa napajanjem: 600W,USB tastatura, USB miš, Licencirani operativni system Windows 10. Navesti naziv proizvođača u finansijsku ponudu	1.00	kom
	5	Monitor	Dijagonala ekrana 27", Maksimalna rezolucija : 1920x1080, Osvetljenje: 250cd/m2, Kontrast: 1000:1/20.000.000:1, Vrijeme odziva: 7ms, Ugao vidljivosti: 178° vertical / 178°, Povezivanje:Audio Out, D-Sub, HDMI,RGB	2.00	kom
			NAPOMENA: Navesti naziv proizvođača		
	6	HDD 6 TB	Veličina :3.5 inča, Kapacitet: 6TB, minimalni RPMS: 5400 rpm, Interfejs: SATA III, Protok: 6 Gbps (600 MB/s), Keš memorija: 64MB ,Broj obrtaja po minuti: IntelliPower (Promenljiv broj obrtaja)	2.00	kom
			NAPOMENA: Navesti naziv proizvođača		
	7	POTROŠNI MATERIJAL	Konektori, kablovi,SATA III kablovi itd	1.00	PAUŠAL
	8	instalacija, povezivanje na postojeći system video nadzora i puštanje u rad i Korisničko uputstvo		1.00	paušal