

PREGLED POSTUPKA #4967

1 PODACI O NARUČIOCU

Naziv naručioca	DOO VODOVOD I KANALIZACIJA BUDVA
PIB	02005575
E-mail	vodovod@t-com.me
Telefon	033/403-304
Internet adresa	www.vodovodbudva.me
Fax	033/452-772
Adresa	Trg Sunca 1
Grad	Podgorica
Poštanski broj	81000

2 OSNOVNI PODACI

Opis predmeta javne nabavke	Nabavka računara i računarske opreme, po partijama
Status	U toku
Vrsta predmeta	Robe
Vrsta postupka	Jednostavna nabavka
Službenik za javne nabavke	Bojana Rajkovic
Kontakt	+382 33 403 304
Datum objave	10.06.2021. 09:00
Napomena	-

3 DODATNE INFORMACIJE

Predmet javne nabavke se nabavlja	po partijama
Posebni oblici javne nabavke	
Okvirni sporazum	Ne
Dinamički sistem nabavki	Ne
Elektronska aukcija	Ne
Elektronski katalog	Ne
Nabavka se sprovodi kao	
Zajednička nabavka	Ne
Centralizovana nabavka	Ne

4 STAVKE PLANA

Godina	Opis	Vrijednost nabavke	Vrijednost PDV	Okvirni sporazum	Vrsta postupka
2021	DOO VODOVOD I KANALIZACIJA BUDVA Računari i računarska oprema 30200000 - Kompjuterska oprema i pribor	19.999,00 EUR	4.199,79 EUR	-	Jednostavna nabavka

5 USLOVI ZA UČEŠĆE U POSTUPKU I ZAHTJEVI U POGLEDU NAČINA IZVRŠAVANJA PREDMETA NABAVKE

Opis	Tip uslova / zahtjeva	Važi za sve partije
30 dana od dana dostavljanja fakture za isporučenu robu.	Rok plaćanja	DA
Rok izvršenja ugovora je: sukcesivno, 365 dana ili do iskorišćenosti ugovorenih sredstava. Rok pojedinačne isporuke je maksimum 10 dana od dana prijema pismene porudžbenice od strane Naručioca. Rok isporuke će biti predmet vrednovanja ponuda. Rok za isporuku teče od dana kada Dobavljač primi pismenu narudžbu od strane Naručioca za svaku pojedinačnu nabavku. Datum isporuke robe je datum potpisivanja zapisnika o kvantitativnom i kvalitativnom prijemu robe, nakon provjere kompletnosti i funkcionalnosti koju treba da izvrše predstavnici Naručioca i Dobavljača, na lokaciji Naručioca.	Rok izvršenja ugovora	DA
Garancije kvaliteta: Po potrebi komisija za kvantitativni i kvalitativni prijem robe sačinjena od predstavnika Naručioca i Dobavljača.	Način sprovođenja kontrole kvaliteta	DA
Mjesto izvršenja ugovora je zgrada "Vodovod i kanalizacija" d.o.o. Budva, na adresi Trg Sunca br 1, Budva.	Mjesto izvršenja ugovora	DA
Izjava- Obrazac 2	ESPD	DA
Privredni subjekat treba da je upisan u Centralni registar privrednih subjekata ili drugi odgovarajući registar u državi u kojoj privredni subjekat ima sjedište, što se dokazuje dostavljanjem dokaza o registraciji u Centralnom registru privrednih subjekata ili drugom odgovarajućem registru, sa podacima o ovlaštenom licu privrednog subjekta.	Uslovi za obavljanje djelatnosti	DA
U postupku javne nabavke može da učestvuje samo privredni subjekat koji je izmirio sve dospjele obaveze po osnovu poreza i doprinosa za penzijsko i zdravstveno osiguranje, što se dokazuje dostavljanjem uvjerenja ili potvrde organa uprave nadležnog za poslove naplate poreza, odnosno nadležnog organa države u kojoj privredni subjekat ima sjedište.	Obavezni uslovi	DA

U postupku javne nabavke može da učestvuje samo privredni subjekat koji: 1) nije pravosnažno osuđivan i čiji izvršni direktor nije pravosnažno osuđivan za neko od krivičnih djela sa obilježjima: a) kriminalnog udruživanja; b) stvaranja kriminalne organizacije; c) davanje mita; č) primanje mita; ć) davanje mita u privrednom poslovanju; d) primanje mita u privrednom poslovanju; dž) utaja poreza i doprinosa; đ) prevare; e) terorizma; f) finansiranja terorizma; g) terorističkog udruživanja; h) učestovanja u stranim oružanim formacijama; i) pranja novca; j) trgovine ljudima; k) trgovine maloljetnim licima radi usvojenja; l) zasnivanja ropuskog odnosa i prevoza lica u ropskom odnosu, što se dokazuje dostavljanjem uvjerenja ili potvrde nadležnog organa izdatog na osnovu kaznene evidencije, u skladu sa propisima države u kojoj privredni subjekat ima sjedište, odnosno u kojoj izvršni direktor tog privrednog subjekta ima prebivalište.	Obavezni uslovi	DA
virmanski	Način plaćanja	DA

6 KRITERIJUMI ZA IZBOR NAJPOVOLJNIJE PONUDE

Opis	Važi za sve partije
Cijena	DA
Princip vrednovanja garantnog roka: Garantni rok je minimum 24 mjeseca. Broj bodova za potkriterijum garantni rok se dobija na način što se ponuđena dužina garantnog roka podijeli sa najvećom ponuđenom dužinom garantnog roka i dobijeni količnik pomnoži sa 30 Ponuđač sa najvećim brojem bodova ($C + Krok\ isporuke + Kgarantni\ rok$) će biti izabran kao prvorangirani.	DA
Princip vrednovanja roka isporuke: Rok isporuke je maksimum 10 dana od dana zaključivanja Ugovora. Broj bodova za potkriterijum rok isporuke se dobija na način što se najmanji ponuđeni rok isporuke podijeli sa ponuđenim rokom isporuke i dobijeni količnik pomnoži sa 10.	DA

7 PREDMET NABAVKE

Ukupna procijenjena vrijednost bez PDV:

12.700,00 EUR

Broj partije		1	
Opis partije		Partija 1- Nabavka kompjutera i kompjuterske opreme	
Procijenjena vrijednost bez PDV		8.500,00 EUR	
	Opis predmeta nabavke	Bitne karakteristike predmeta nabavke	Količina
1	Laptop 1	BRAND NAME, 15.6", Intel Penti-um N5000 ili RYZEN 3, 4GB, 128GB SSD, Intel HD, GLAN, WiFi + BT, Win 10	6,00 kom
2	Laptop 2	BRAND NAME, FHD15.6", Intel Pentium I5 ili RYZEN 5, 16GB, 256GB SSD, nVidia ili ATI HD, GLAN, WiFi + BT, Win 10	2,00 kom
3	Desktop	BRAND NAME, Intel Pentium G6400 ili RYZEN 3, 4GB DDR 128 SSD, 7200rpm , Tastatura/miš, Win 10	10,00 kom
4	Monitor	Led Full HD min 23,8"	10,00 kom
5	Tablet uređaji	4G, 8", 2 GB RAM, CAMERA	10,00 kom

Broj partije		2	
Opis partije		Partija 2- Nabavka štampača	
Procijenjena vrijednost bez PDV		4.200,00 EUR	
	Opis predmeta nabavke	Bitne karakteristike predmeta nabavke	Količina

Tip uređaja: Monochrome
multifunkcionalni uređaj – A4 format,
Tehnologija: Laser Monochrome
Brzina štampe: 35 strana po minuti A4
Rezolucija: 300 dpi, 600dpi, 1.200dpi
quality
Control panel display 5 line LCD display
Vrijeme prve štampane stranice: Manje od
6.8 sec.
Dimenzije (W x D x H): Uređaj bez
dodataka: 417 x 412 x 437 mm, Težina:19
kg Potrošnja el. energije Copy/Print
b/wPrinting: 661 W, Ready mode: 21 W,
Sleep-mode: 1 W
Strujni priključak AC 220 – 240 V, 50/60 Hz
Nivo buke (ISO 777) Nivo buke po
standardima (ISO 7779/ISO 9296) Štampa:
47.2 dB(A) LpA Quiet mode: 44.1 db(A) LpA,
Sigurnosni standard GS, TÜV, CE This unit is
manufactured according to ISO 9001
quality
standard and ISO 14001 environmental
standard
Memorija uređaja 512 MB, MAX proširivo
do 1536 MB, PAPIR
Kapacitet papira: 100-sheet multi-purpose
tray; 60–220 g/m²; A4, A5, A6, B5, B6,
Letter, Legal, Custom (70 x 148 mm–216 x
356 mm) 250-sheet universal cassette;
60–163 g/m²; A4, A5, A6, B5, Letter, Legal,

1	Štampač 1	Custom (105 x 148–216 x 356 mm), ŠTAMPAČ Duplex kod printanja za papir 60–163 g/m²; A4, A5, B5, Letter, Legal, Document processor Kapaciteta 50 listova, 50–160 g/m², A4, A5, A6, B5, B6, Letter, Legal, Custom (100 x 148 to 216 x 356 mm) Stampa: Processor 800 MHz, Controller language, PRESCRIBE IIc Emulacije PCL 6 (PCL 5e/PCL-XL), PostScript 3 (KPD L 3), PDF Direct Print, XPS/OpenXPS Fontovi 93 scalable fonts for PCL6/KPD L3, 8 fonts for Windows Vista, 1 bitmap font, 45 barcodes e.g. EAN8, EAN13) with automatic generation of checksums as well as support of two-dimensional barcodes PDF-417 under PRESCRIBE Podržani operativni sistemi: Sve aktuelne verzije Windows OS-a, Mac OS X Version 10.5 or higher, UNIX LINUX KOPIR: Max. veličina originala A4 (preko poklopca) Legal (preko ADF-a) Mogućnosti digitalnog kopiranja Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy, priority print, program, continuous scan, auto cassette change, copy density control, Modovi ekspozicije Manual: u 9 koraka Predefinisana uvećanja/umanjenja	5,00 kom
---	-----------	--	----------

	originala 7 modova umanjenja / 5 modova uvećanja Zoom opseg 25 - 400 % u koracima od 1% Kontinuirano kopiranje Od 1 – 999 Podešavanje originala Text, Photo, Text + Photo, Map SKENER Izlazni fajlovi TIFF, PDF, PDF/A-1 , high compression PDF, encrypted PDF, JPEG, XPS Automatsko prepoznavanje originala Text + Photo, Photo, Text, Light Text/ Fine Line, Max. veličina skenirane stranice A4 (preko poklopca) Legal (preko ADF-a) Funkcije skenera Scan-to-e-mail (SMTP), Scan-to-FTP (FTP over SSL), Scan-to-SMBv3, Scan to USB Host, TWAIN scan (USB, network), WSD (WIA) scan (USB, network) Rezolucija skeniranja 300dpi x 300dpi, 200dpi x 200dpi(Default), 200dpi x 100dpi , 600dpi x 600dpi, 400dpi x 400dpi, 200dpi x 400dpi Compression method MMR / JPEG Brzina skeniranja 40 ipm (300 dpi, A4, b/w), 23 ipm (300 dpi, A4, colour) INTERFEJS	
	Tip uređaja: Monochrome multifunkcionalni uređaj – A4 format, Tehnologija: Laser Monochrome Brzina štampe: 35 strana po minuti A4 Rezolucija: 300 dpi, 600dpi, 1.200dpi	

quality

Control panel display 5 line LCD display

Vrijeme prve štampane stranice: Manje od 6.8 sec.

Dimenzije (W x D x H): Uređaj bez
dodataka: 417 x 412 x 437 mm, Težina:19
kg Potrošnja el. energije Copy/Print
b/wPrinting: 661 W, Ready mode: 21 W,
Sleep-mode: 1 W

Strujni priključak AC 220 – 240 V, 50/60 Hz

Nivo buke (ISO 777) Nivo buke po
standardima (ISO 7779/ISO 9296) Štampa:
47.2 dB(A) LpA Quiet mode: 44.1 db(A) LpA,
Sigurnosni standard GS, TÜV, CE This unit is
manufactured according to ISO 9001

quality

standard and ISO 14001 environmental
standard

Memorija uređaja 512 MB, MAX proširivo
do 1536 MB, PAPIR

Kapacitet papira: 100-sheet multi-purpose
tray; 60–220 g/m²; A4, A5, A6, B5, B6,
Letter, Legal, Custom (70 x 148 mm–216 x
356 mm) 250-sheet universal cassette;
60–163 g/m²; A4, A5, A6, B5, Letter, Legal,
Custom (105 x 148–216 x 356 mm),

ŠTAMPAČ

Duplex kod printanja za papir 60–163 g/m²;
A4, A5, B5, Letter, Legal, Document
processor Kapaciteta 50 listova, 50–160

2	Štampač 2	g/m2, A4, A5, A6, B5, B6, Letter, Legal, Custom (100 x 148 to 216 x 356 mm) Stampa: Processor 800 MHz, Controller language, PRESCRIBE Ilc Emulacije PCL 6 (PCL 5e/PCL-XL), PostScript 3 (KPD L 3), PDF Direct Print, XPS/OpenXPS Fontovi 93 scalable fonts for PCL6/KPD L3, 8 fonts for Windows Vista, 1 bitmap font, 45 barcodes e.g. EAN8, EAN13) with automatic generation of checksums as well as support of two-dimensional barcodes PDF-417 under PRESCRIBE Podržani operativni sistemi: Sve aktuelne verzije Windows OS-a, Mac OS X Version 10.5 or higher, UNIX LINUX KOPIR: Max. veličina originala A4 (preko poklopca) Legal (preko ADF-a) Mogućnosti digitalnog kopiranja Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy, priority print, program, continuous scan, auto cassette change, copy density control, Modovi ekspozicije Manual: u 9 koraka Predefinisana uvećanja/umanjenja originala 7 modova umanje nja / 5 modova uvećanja Zoom opseg 25 - 400 % u koracima od 1% Kontinuirano kopiranje Od 1 – 999 Podešavanje originala Text, Photo, Text +	2,00 kom
---	-----------	---	----------

		Photo, Map SKENER Izlazni fajlovi TIFF, PDF, PDF/A-1 , high compression PDF, encrypted PDF, JPEG, XPS Automatsko prepoznavanje originala Text + Photo, Photo, Text, Light Text/ Fine Line, Max. veličina skenirane stranice A4 (preko poklopca) Legal (preko ADF-a) Funkcije skenera Scan-to-e-mail (SMTP), Scan-to-FTP (FTP over SSL), Scan-to-SMBv3, Scan to USB Host, TWAIN scan (USB, network), WSD (WIA) scan (USB, network) Rezolucija skeniranja 300dpi x 300dpi, 200dpi x 200dpi(Default), 200dpi x 100dpi , 600dpi x 600dpi, 400dpi x 400dpi, 200dpi x 400dpi Compression method MMR / JPEG Brzina skeniranja 40 ipm (300 dpi, A4, b/w), 23 ipm (300 dpi, A4, colour) INTERFEJS	
		Tip uredjaja: Laserski Monohromatski (crno-bijeli) Brzina štampe: 45 stranica A4 u minuti Rezolucija: 1200 dpi Vrijeme zagrijavanja: 15 sekundi Vrijeme prve štampane stranice: 5.9 sekundi Memorija uredjaja: Standard 512 MB Display: Monohromatski LCD 5 line Kapacitet papira: 100-listova ladica sa	

3	Štampač 3	strane (bypass), 60–220 g/m2, A4, A5, A6, B5, B6, Letter, Legal, Folio 500-listova Standarda ladica, 60–120 g/m2, A4, A5, A6, B5, B6, Letter, Legal, Folio Dupleks jedinica: DA Processor: 1,2 GHz Emulations: PCL6 (PCL5c/PCL-XL), PostScript* 3 (KPDL 3), XPS Direct Print, PDF Direct Print 1.7, IBM Proprinter X24E, Epson LQ-850 with automatic emulation sensing Karakteristike štampača: IPSec, HTTPS, SNMPv3, IPPS, Encrypted PDF Direct Print, Private Print, Secure printing via SSL, POP over SSL, SMTP over SSL, Access control via 100 integrated department codes. Data Security Kit (E) protects data on the optional SSD. Podrška: Podrška za mibile printing, AirPrint, Mopria, Wi-Fi Direct, Google cloud print Operativni sistemi: Sve aktuelne verzije Windows operativnog sistema, MAC OS X Verzija 10.8 or više, Unix, Linux Povezivost: USB 2.0 (Hi-Speed), 2 USB Host Interfaces, Gigabit Ethernet (10/100/1000BaseT), Slot for optional internal print server or SSD hard disc, Slot for optional SD/SDHC-Card Kapaciteti tonera: Minimum 12.000	5,00 kom
---	-----------	---	----------

		stranica Životni vijek bubnja: Minimum: 300.000	
4	Štampač za perforirane virmane	Ne slabije od Brand Name LQ-350 24-pin (HSD 10cpi/347cps), matricni, broj kopija 1 original + 3, Parallel, USB 2.0 Type B, USB 2.0 Type A	1,00 kom